

Sample probe, 1  
Probe, sample, 1  
Sample tube, 1  
Tube, sample, 1  
Quill, 1  
Chemical composition, 1  
Composition, chemical, 1  
Isokinetic sampling, 1  
Sampling, Isokinetic, 1  
Laminar flow, 1  
Flow, laminar, 1  
Two-phase sample, 1  
Sample, two-phase, 1  
Probe, ASTM D1066-6ST, 1  
ASTM D1066-6ST Probe, 1  
Physical composition, 1  
Composition, physical, 1  
Non-isokinetic sampling, 1  
Sampling, non-isokinetic, 1  
Inertial separation, 1  
Separation, inertial, 1  
Orifices, 1  
Duct, 1  
Negative draft, 1  
Draft, negative, 1  
Conax gland fitting, 1  
Fitting, Conax gland, m1  
Probe-end filters, 1  
Filters, probe-end, 1  
Blowback systems, 1  
Systems, blowback, 1  
Vaporizing pressure regulator, 1  
Pressure regulator, vaporizing, 1  
Regulator, pressure (vaporizing), 1  
Joule-Thompson cooling, 2  
Cooling, Joule-Thompson, 2  
Blowback, 2  
Accumulator assembly, 2  
Basic sample probes, 2  
Probes, sample (basic), 2  
ABB Automation Inc., 2  
Buhler Analysis Systems Inc., 2  
M & C Products-USA, 2  
Ceramic probes, 2  
Probes, ceramic, 2  
Bolt Technical Ceramics, 2

Vesuvius Mc Danel Co., 2  
Water-washed probe, 2  
Probe, water-washed, 2  
Sample dilution, 2  
Dilution, sample, 2  
Air-aspirated dilution, 2  
Dilution, air-aspirated, 2  
Critical orifice, 2  
Orifice, critical, 2  
Wet basis, 2  
Dry basis, 2  
Measurement, Dry basis, 2  
Measurement, Wet basis, 2  
Flue gas emissions, 2  
Emissions, Flue gas, 2  
Continuous Emissions Monitoring System (CEMS), 2  
CEMS (Continuous Emissions Monitoring System), 2  
EPM Environmental Inc., 2  
STI, 2  
Axiom Analytical, 2  
Orbital Sciences Corporation, 3  
Turbulent flow, 3  
Flow, turbulent, 3  
Gland fitting, 3  
Fitting, gland, 3  
Conax Buffalo Technologies, 3  
A+ Corporation, 3  
Foot valve, 3  
Valve, foot, 3  
Membrane-protected probe, 3  
Probe, membrane-protected, 3  
Capacity tanks, 3  
Tanks, capacity, 3  
Heated blowback, 3  
Blowback, heated, 3  
External-access filter, 3  
Filter, external-access, 3  
Backpurge, 3  
Rosemount Analytical-Process Analytic Division, 3  
Buhler Analysis Systems Inc., 3  
Liquid sample probe, 4  
Probe, liquid sample, 4  
Gas sample probe, 4  
Probe, gas sample, 4  
Siemens Applied Automation Inc., 4  
Pickup tube assembly, 5

Tube, pickup (assembly), 5  
Bulkhead plate, 5  
Plate, bulkhead, 5  
Injection piece, 5  
L & M Technical Services Inc., 5  
SAFESTARTS National, 5  
Sample inlet, 5  
Inlet, sample, 5  
Vaporizing pressure regulator, 6  
Regulator, vaporizing pressure, 6  
Overpressure relief valve, 6  
Valve, overpressure relief, 6  
Siemens Applied Automation Inc.,6  
Siemens Applied Automation Inc.,7  
Liquid sample probe, 7  
Probe, liquid sample, 7  
Vaporizing pressure regulator, 7  
Pressure regulator, vaporizing, 7  
Regulator, pressure (vaporizing), 7  
Heated blowback system, 7  
Blowback , heated system, 7  
Keen Systems, 7  
Electropneumatic solenoid valve, 7  
Valve, Electropneumatic solenoid, 7  
Heated blowback system, 8  
Blowback , heated system, 8  
Blowback gas capacity tanks, 8  
Tanks, Blowback gas capacity, 8  
Repair stand, 8  
Heated sample probe 9  
Probe, heated sample, 9  
Heated blowback system, 8  
Blowback , heated system, 8  
Heated blowback system, 9  
Blowback , heated system, 9  
Baldwin Environmental Inc., 9  
Probe protective box, 10  
Box., probe protection, 10  
ABB Automation Products, Hartmann + Braun Division, 10  
Pilot valve, 10  
Valve, pilot, 10  
Cleaning cycle, 11  
Cycle, cleaning, 11  
Pulsed pressure program, 11  
Program, pulsed pressure, 11  
ABB Automation Products, Hartmann + Braun Division, 11

Cleaning cycle, 12  
Cycle, cleaning, 12  
Insulated probe body filter, 13  
Filter, probe body (insulated), 13  
Sintered stainless steel filter, 13  
Filter, stainless steel (sintered), 13  
Probe tip blowback, 13  
Blowback, probe tip, 13  
Buhler Analysis Systems Inc., 13  
Probe tubes, 14  
Tubes, modular sample (gas), 14  
ABB Automation Products, Hartmann + Braun Division, 14  
Pilot valve, 15  
Valve, pilot, 15  
Probe housing, 15  
Housing, Probe, 15  
Collar bolts, 16  
Bolts, collar, 16  
Cable glands, 16  
Glands, cable, 16  
Heating sleeve, 17  
Sleeve, heating, 17  
CE mark, 17  
EMC protection, 17  
Low-voltage directive, 17  
Annular heating element, 18  
Heating element, annular, 18  
Dust filter, 19  
Filter, dust, 19  
Connection ports, 19  
Ports, connection, 19  
Ceramic materials, 20  
Materials, ceramic, 20  
Superior Technical Ceramics Corporation, 20  
Diluting stack sampler, 21  
Stack sampler, diluting, 21  
Dilution probe, 21  
Probe, dilution, 21  
Internal orifice, 21  
Orifice, internal, 21  
Ambient air analysis, 21  
Analysis, ambient air, 21  
EPM Environmental Inc., 21  
Diluting stack probe, 22  
Probe, stack (diluting), 22  
Umbilical cord, 22  
Cord, umbilical, 22  
Diluter panel, 22

Panel, diluter, 22  
Dilution air, 23  
Air, dilution, 23  
In-situ sample conditioning, 23  
Sample conditioning, in-situ, 23  
Critical flow, 23  
Flow, critical, 23  
Calibration gas, 23  
Gas, calibration, 23  
Coarse filter, 23  
Filter, coarse, 23  
Depth filter, 232  
Filter, depth, 23  
Venturi, 23  
Critical orifice, 23  
Orifice, critical, 23  
Out-of-stack dilution system, 24  
Dilution system, out-of-stack, 24  
Dilution module, 24  
Module, dilution, 24  
Degree of dilution, 24  
Dilution ratio, 24  
Ratio, dilution, 24  
Critical orifice, 24  
Orifice, critical, 24  
Lower Explosive Limit (LEL), 24  
LEL (Lower Explosive Limit), 24  
Insertion-type sample probes, 25  
Sample probes, insertion-type, 25  
Flow-thru sample probes, 25  
Sample probes, flow-thru, 25  
Orbital Sciences Corporation-Applied Instrument Technologies, 25  
Lightguide, 26  
Retroreflector, 26  
Transmission probe, 26  
Probe, transmission, 26  
Sample gap, 26  
Gap, sample, 26  
Axiom Analytical Incorporated, 26  
Fiber Optic Transmission, 26  
Sample gap, 27  
Gap, sample, 27  
Light-guide tubes, 27  
Tubes, light-guide, 27  
Discrete light-guide tubes, 27  
Machined light guide tubes, 27

Genie Probe Regulator (GPR), 28  
Probe, Genie (regulator), 28  
A+ Corporation, 28  
Coalesced liquid, 29  
Liquid, coalesced, 29  
Foot valve, 29  
Valve, foot, 29  
Genie Probe Regulator (GPR), 29  
Probe, Genie (regulator), 29  
A+ Corporation, 29  
Probe tube type selection table, 30  
Table, probe tube type selection, 30  
Furnace probe, 30  
Probe, furnace, 30  
Flue gas desulfurization probe, 30  
Probe, flue gas desulfurization, 30  
Metallurgical industry probe, 30  
Probe, metallurgical industry, 30  
Cement and lime production probe, 30  
Probe, cement and lime production, 30  
Ceramics industry probe, 30  
Probe, ceramics industry, 30  
Glass industry probe, 30  
Probe, glass industry, 30  
Coal silo probe, 30  
Probe, coal silo, 30  
Siemens Applied Automation Inc., 30  
Silicon carbide probe, 31  
Probe, silicon carbide, 31  
Probe tube heater, 32  
Heater, probe tube, 32  
Waste incineration plant probe, 32  
Probe, waste incineration plant, 32  
Wet desulfurization plant probe, 32  
Probe, wet desulfurization plant, 32  
Cement kiln flue gas probe, 33  
Probe, cement kiln flue gas, 33  
High dust content probe, 33  
Probe, high dust content, 33  
Dry cement production probe, 33  
Probe, dry cement production, 33  
Rotary kiln probe, 33  
Probe, rotary kiln, 33  
Probe cooling water supply, 33  
Cooling water, supply to probe, 33  
Quill probe, 33

Probe, quill, 33  
Probe protection box, 33  
Box, probe protection, 33  
Blowback capacity tank, 33  
Tank, blowback capacity, 33  
Rosemount Analytical Inc.  
T-flange sample valve, 34  
Sample valve, T-flange, 34  
Inline liquid sampler, 34  
Sampler, inline liquid, 34  
Sample bottle, 34  
Bottle, sample, 34  
Sampling Systems, a Division of PMMI Inc., 34  
Inline liquid sampler, 35  
Sampling Systems, a Division of PMMI Inc., 35  
Sampling Systems, a Division of PMMI Inc., 36  
Fixed volume liquid sampler, 36  
Sampler, fixed volume liquid, 36  
Sample bottle, 36  
Bottle, sample, 36  
Carbon filter, 36  
Carbon filter, 34  
Filter, carbon, 34  
Filter, carbon, 36  
Sample cylinder, 36  
Cylinder, sample, 36  
Flowmeter, 36  
Fixed volume liquid sampler, 37  
Sampler, fixed volume liquid, 37  
Sampling Systems, a Division of PMMI Inc., 37  
Probe protection box, 37  
Box, probe protection, 37  
Fixed volume liquid sampler, 38  
Sampler, fixed volume liquid, 38  
Sampling Systems, a Division of PMMI Inc., 38  
Probe protection box, 38  
Box, probe protection, 38  
pH probe, 39  
Probe, pH, 39  
Process pipe tee probe mount, 39  
Probe mount, process pipe tee, 39  
Process pipe probe mount, 39  
Probe mount, process pipe, 39  
pH electrodes, 40  
pH flow cells, 40  
Flow cells, pH, 40

Electrodes, pH, 40  
ORP electrodes, 40  
ORP flow cells, 40  
Flow cells, ORP, 40  
Electrodes, ORP, 40  
Sensorex Corp. 40  
Sensorex Corp., 41  
pH insertion/removal probe, 41  
Probe, pH (insertion/removal), 41  
pH probe (insertion/removal), 41  
Removal clearance, 41  
Clearance, removal, 41  
Wet-tap pH electrodes, 42  
Wet-tap ORP electrodes, 42  
Electrodes, wet-tap pH, 42  
Electrodes, wet-tap ORP, 42  
pH electrodes, wet-tap, 42  
ORP electrodes, wet-tap, 42  
Sensorex Corp. 42  
BNC receptacle, 42  
Receptacle, BNC, 42  
ATC, 42  
Full-port ball valve, 42  
Valve, full-port ball, 42  
Electrodes, pH, 43  
pH electrodes, 43  
Electrode insertion length, 43  
pH electrode insertion length, 43  
Insertion length, 43  
Sensorex Corp., 43  
Manometer, 44  
Working pressure, 44  
Pressure, maximum working, 44  
Floating-piston-cylinder sampler, 44  
Sampler, floating piston cylinder, 44  
Pressurized liquid samples, 44  
Samples, pressurized liquid, 44  
Liquid samples, pressurized, 44  
Dissolved gases, 44  
Gases, dissolved, 44  
Petrolab Company, 44  
Petrolab Company, 45  
MINIVAP FPC-250, 45  
Floating-piston-cylinder sampler, 45  
Grabner Instruments, 45  
Sampler, floating piston cylinder, 45



Pressurized liquid samples, 45  
Samples, pressurized liquid, 45  
Liquid samples, pressurized, 45  
Analect, 45  
Analect CHEMEYE, 45  
CHEMEYE, 45  
Light-guide-type sampling probe, 45  
Probe, sampling (light-guide-type), 45  
Orbital Sciences Corporation-Applied Instrument Technologies, 45  
Steam heated filter, 46  
Filter, steam heated, 46  
Flood-type universal calibration, 46  
Calibration, flood-type, 46  
Blowback with accumulator, 46  
Accumulator, blowback, 46  
Universal Analyzers Inc., 46  
Process analysis, 47  
Analysis, process, 47  
Axiom Analytical Inc.  
In-line analysis, 47  
Analysis, in-line, 47  
In-situ analysis, 47  
Analysis, in-situ, 47  
Molecular analysis, 47  
Analysis, molecular, 47  
Batch reaction vessel, 47  
Reaction vessel, batch, 47  
Recirculating loop, 47  
Loop, recirculating, 47  
Flow cell, 47  
Cross-line transmission sampling probe, 47  
Sampling probe, cross-line transmission, 47  
Immersion probe, 47  
Probe, immersion, 47  
Mid-infrared spectroscopy, 47  
Near-infrared spectroscopy, 47  
Raman spectroscopy, 47  
Spectroscopy, mid-infrared, 47  
Spectroscopy, near-infrared, 47  
Spectroscopy, Raman, 47  
Fingerprint spectrum, 47  
Spectrum, fingerprint, 47  
Absorption bands, 47  
Bands, absorption, 47  
Optical materials, 47  
Materials, optical, 47

- Diamond ATR element, 47
  - ATR, 47
  - ATR element, 47
  - Overtones, 47
  - Combination tones, 47
  - C-H vibrations, 47
  - Chemometrics, 47
  - Sapphire windows, 47
  - Windows, sapphire, 47
  - Elastomeric seals, 47
  - Seals, elastomeric, 47
  - Brazes, 47
    - Brazes, mechanical integrity, 47
    - Brazes, chemical resistance, 47
  - C-ring seals, 48
  - Seals, C-ring, 48
  - Fused silica fiber-optics, 48
  - Fiber-optics, fused silica, 48
  - Diamond probe, 48
  - Probe, diamond, 48
  - Probe sealing technology, 48
  - Internal reflection spectroscopy, 48
  - Spectroscopy, internal reflection, 48
  - Near-infrared analysis, 48
  - Analysis, near-infrared, 48
  - Raman, spectroscopy, 48
  - Spectroscopy, Raman, 48
  - Fourier Transform Infrared (FTIR) process analysis, 48
  - Analysis, process FTIR, 48
  - Process analysis, FTIR, 48
  - FTIR (Fourier Transform InfraRed), 48
  - Fourier Transform InfraRed (FTIR), 48
- Pipe, 49
  - Pipe sizes, 49
  - Sizes, pipe, 49
  - Pipe wall thickness, 49
  - Wall thickness, pipe, 49
  - Pipe schedule, 49
  - Pipe threads, 49
  - Threads, pipe, 49
  - XS (extra strong) pipe threads, 49
  - XXS (extra extra strong) pipe threads, 49
  - Schedule 40 pipe, 49
  - Schedule 80 pipe, 49
  - Schedule 160 pipe, 49
  - XS (schedule 80) pipe, 49

XXS (schedule 160) pipe, 49  
Pipe thread (NPT), 49  
Pipe thread, (American Standard-NPT),49  
Pipe thread, (UNF), 49  
Pipe thread, (Unified National Fine-UNF-straight), 49  
Straight thread (UNF or ISO 228/1), 49  
Tapered thread (NPT or ISO 7/1), 49  
Pipe thread (metric straight-ISO 228/1), 49  
Pipe thread (metric tapered ISO 7/1), 49  
Tubing, 49  
Compression fittings, 49  
Fittings, compression, 49  
Tubing sizes, 49  
VCO fittings, 49  
VCR fittings, 49  
Fittings, VCO, 49  
Fittings, VCR, 49  
Hoke Inc., 49  
Parker Hannifin Corporation, 49  
Swagelok Company, 49  
Type RS gaskets, 50  
Gaskets, Type RS, 50  
Gaskets, Type RG, 50  
Type RG gaskets, 50  
Type RP gaskets, 50  
Gaskets, type RP, 50  
RP gaskets, 50  
RG gaskets, 50  
RS gaskets, 50  
Heat tracing, 50  
Glass fiber thermal insulation, 50  
Insulation, glass fiber (thermal), 50  
Tracing, electric, 50  
Tracing, steam, 50  
Steam tracing, 50  
Electric tracing, 50  
Tracing, heat, 50  
Temperature-actuated valves, 50  
Valves, temperature-actuated, 50  
Ogontz Corporation, 50  
Jordan Valve, Richards Industries, 50  
Direct-acting valve seats, 50  
Reverse-acting valve seats, 50  
Valve seats, direct-acting, 50  
Valve seats, reverse-acting, 50  
Temperature control, 50

- Control, temperature, 50
- Steam trap technologies, 50
  - Thermodynamic,
    - Disk type,
    - Piston type,
    - Lever type,
  - \ Thermostatic,
    - Bellows,
    - Bimetallic,k
    - Pilot,
  - Mechanical,
    - Inverted bucket
    - Ball-float-and-lever
  - Variable orifice
    - Wax pellet
- Armstrong International, 50
- Nicholson Steam Trap, Inc., 50
- Spirax Sarco, Inc., 51
- Swagelok Company, 51
- Yarway Corporation, 51
- Strainer, 51
  - Y-type strainer, 51
  - Strainer, Y-type, 51
- Electrical tracing, 51
  - Parallel; circuit constant wattage (zoned bus cable).
  - Self-limiting variable wattage (twin lead bus cable)
- Power-limiting cables, 51
- Cables, power-limiting, 51
  - Zoned bus cable, 51
  - Twin-lead bus cable, 51
  - Cable, twin lead, 51
  - Cable, zoned bus 51
  - Cable, heat tracing, 51
- Parallel resistance constant wattage, 51
- Zone type parallel resistance cable, 51
- Cable, zone type parallel resistance, 51
- Voltage Alternating Current (VAC), 51
- VAC (Voltage Alternating Current), 51
- Self-regulating cable, 51
  - Cable, self-regulating, 51
- Constant wattage cable, 51
  - Cable, constant wattage, 51
- Watt density rating, 51
- Continuous Emissions Monitoring System (CEMS), 52
- CEMS (Continuous Emissions Monitoring System), 52
- CELLEX Manufacturing Inc., 52

Crouse-Hinds Company, 52  
TUBETRACK, 52  
James C. White Co., Inc., 52  
Heat-shrink tubing sleeve, 52  
Tubing sleeve, heat-shrink, 52  
XL Technologies, 52  
Heated hose, 53  
Hose, heated, 53  
Tubing, fused silica internal lined stainless steel, 53  
Fused silica internal lined stainless steel tubing, 53  
RESTEK Corporation, 53  
Insulating jacket, 53  
Jacket, insulating, 53  
Glas-Col, 53  
Thermal shut-off valve, 53  
Valve, thermal shut-off, 53  
SENTRY Equipment Corp., 53  
TIC (Total Installed Cost), 53  
Total Operating Cost (TOC), 53  
TOC (Total Operating Cost), 53  
Total Installed Cost (TIC), 53  
Operating Cost, 53  
Cost, operating, 53  
Condensate, 54  
Condensate return line, 54  
Time lag calculation, 54  
Calculation, time lag, 54  
Process Gas Chromatography, 54  
Gas chromatography (process), 54  
Chromatography, process gas, 54  
Pressure, sample source, 54  
Sample source pressure, 54  
Pressure, sample return, 54  
Sample return pressure, 54  
Sample run (length), 54  
Internal volume, 54  
Volume, internal, 54  
Fluidic transport properties, 54  
Sample transport time, 54  
Transport time (sample), 54  
Time lag, 54  
Compressibility factor, 54  
Mixing effect, 54  
Laminar flow, 55  
Flow, laminar, 55  
Turbulent flow, 55

Flow, turbulent, 55  
VCO O-ring face seal fitting, 55  
Fitting, VCO O-ring face seal, 55  
Remote discrete sampling, 55  
Sampling, remote discrete, 55  
Zero-clearance fitting, 55  
Fitting, zero-clearance, 55  
NPT (taper) threads, 55  
Straight threads, 55  
Threads, straight, 55  
Threads, taper (NPT), 55  
Double (two) ferrule compression seal tubing fitting, 56  
Fitting, double (two) ferrule compression seal (tubing), 56  
Ferrule, front, 56  
Front ferrule, 56  
Rear ferrule, 56  
Ferrule, rear, 56  
RP Thread, 57  
RS Thread, 57  
RG Thread, 57  
Thread, RG, 57  
Thread, RP, 57  
Thread, RS, 57  
ISO 228/1 parallel threads, 57  
Parallel threads, ISO 228/1, 57  
Threads, ISO 228/1 (parallel), 57  
Bonded washer seal, 57  
Seal, bonded washer, 57  
Metal gasket seal, 57  
Seal, metal gasket, 57  
Gasket seal, metal, 57  
ISO Parallel pipe threads, 57  
Threads, ISO parallel pipe, 57  
Pipe threads, ISO Parallel  
RG Fitting gasket, 58  
RP Fitting gasket, 58  
RS Fitting gasket, 58  
Gasket, RG Fitting, 58  
Gasket, RP Fitting, 58  
Gasket, RS Fitting, 58  
Sealing ISO 228/1 threads, 58  
Threads, ISO 228/1 (sealing), 58  
Tube, copper tracer, 59  
Tracer, copper tube, 59  
Constant power density heater, 60  
Heater, constant power density, 60

Self-regulating heating cable, 61  
Cable, self-regulating (heating), 61  
Messenger wires, 62  
Wires, messenger, 62  
Heat-traced and insulated (HT&I) process sample tubing, 62  
Tubing, HT&I (electric), 62  
Electric HT&I process sample tubing, 62  
Constant watt heating cable, 63  
Cable, constant watt (heating), 63  
Element, electric heat, 63  
Electric heating element, 63  
Nichrome heating element, 63  
Heating element (nichrome), 63  
Steam traced and insulated (ST&I), 64  
ST&I (Steam Traced & Insulated), 64  
Steam-traced and insulated (ST&I) process sample tubing, 62  
Tubing, ST&I (steam), 62  
Steam header, 64  
Header, steam, 64  
Steam tracer, 64  
Tracer, steam, 64  
Condensate header, 64  
Condensate return line, 64  
Condensate return manifold, 64  
Controlled disc traps (steam)-data sheet, 65  
Steam traps (controlled disc)-data sheet, 65  
Armstrong International Inc., 65  
Float & Thermostatic trap (steam)illustration, 66  
Steam trap, float & thermostatic-illustration, 66  
Inverted bucket trap (steam)-illustration, 67  
Steam traps (inverted bucket)-illustration, 67  
Water hammer, 67  
Controlled disc traps (steam)-operation schematic, 68  
Steam traps (controlled disc)- operation schematic, 68  
Float & Thermostatic trap (steam)- operation schematic, 68  
Steam trap, float & thermostatic- operation schematic, 68  
Inverted bucket steam trap-operation schematic, 69  
Steam trap (inverted bucket)-operation schematic, 69  
Constant power density heater, 70  
Heater, constant power density, 70  
Messenger wires, 70  
Wires, messenger, 70  
CEMS-type process sample transfer tubing, 70  
Tubing, CEMS-type process sample transfer, 70  
Heat-reflective tape, 72  
Tape, heat-reflective, 72

Temperature controller, 73  
Controller, temperature, 73  
Kellem grips, 74  
Grips, Kellem, 74  
Pulling grips, 74  
Grips, pulling, 74  
Pipe straps, 75  
Straps, pipe, 75  
Angle iron, 75  
Iron, angle, 75  
Iron, channel, 75  
Channel iron, 75  
Strut clamp, 76  
Clamp, strut, 76  
Channel type strut, 76  
Strut, channel type, 76  
Cable tray, 76  
Tray, cable, 76  
Wall feed-through, 77  
Feed-through, wall, 77  
Keen Systems, 77  
Cellex Manufacturing Inc., a Division of Thermon Manufacturing Co.  
CEM Bundle, 78  
Continuous Emission Monitor (CEM) bundle, 78  
Heat-traced and insulated (HT&I) sample transfer lines, 78  
Sample transfer lines, heat-traced and insulated, 78  
Thermal insulation and water absorption/retention, 79  
Non-wicking fibrous glass thermal insulation and water absorption/retention, 79  
Water absorption/retention, non-wicking fibrous glass thermal insulation, 79  
Precommissioning test program (sample transfer tubing), 80  
Test program, precommissioning(sample transfer tubing), 80  
Analyzer bundles, (sample transfer tubing) 80  
Bundles, analyzer (sample transfer tubing), 80  
Sample transfer tubing, analyzer bundles, 80  
Tubing, sample transfer (analyzer bundles), 80  
Pressure test (sample transfer tubing), 81  
Test, pressure (sample transfer tubing), 81  
Test, vacuum (sample transfer tubing), 81  
Vacuum test (sample transfer tubing), 81  
Electrical tests (sample transfer tubing), 82  
Test, electrical (sample transfer tubing), 82  
Megger reading, 82  
Megger, 82  
Bus wire resistance, 82  
Resistance, bus wire, 82  
Freeze-up, atmospheric vent line, 83



Vent line, freeze-up, 83  
Atmospheric vent line, freeze-up, 83  
Ice plug, 83  
Plug, atmospheric vent line, 83  
Self-limiting heating cable vent line, 84  
Vent line, self-limiting heating cable, 84  
Insulation, non-hygroscopic fiberglass, 84  
Fiberglass insulation, non-hygroscopic, 84  
Particulate matter, 85  
Matter, particulate, 85  
Particulate filtration, 85  
Filtration, particulate, 85  
Y-strainers, 85  
Strainers, Y-type, 85  
Screen-type filters, 85  
Filters, screen-type, 85  
Mesh, 85  
Mesh count, 85  
Pore size, 85  
Micron, 85  
Single surface filter, 85  
Filter, single surface, 85  
Coarse filter, 85  
Filter, coarse, 85  
Wire screen filter, 85  
Filter, wire screen, 85  
Collins Swirlklean bypass filter, 86  
Bypass filter, Collins Swirlklean, 85  
Swirlklean bypass filter (Collins), 86  
Filter, Collins Swirlklean (bypass), 86  
Collins Products Company, 86  
Buhler Analysis Systems Inc., 86  
Petrolab Company, 86  
Hoke Incorporated, 86  
Swagelok Company, 86  
Depth filter, 86  
Filter, depth, 86  
Cartridge filter, 86  
Filter, cartridge, 86  
Filter, cylindrical depth, 86  
Cylindrical depth filter, 86  
GKN Sintered Products, 86  
Mott Metallurgical Corporation, 86  
Bolt Technical Ceramics, 86  
Vesuvius McDanel Refractory Company, 86  
Parker Hannifin Corp., Balston Filtration and Separation Division, 86

Balston Filtration and Separation Division, Parker Hannifin Corp., 86  
Bypass flow, 86  
Flow, bypass, 86  
Differential pressure, 86  
Pressure, differential, 86  
Buhler Analysis Systems Inc., 87  
Fisher Controls, a division of Fisher-Rosemount, 87  
M & C Products-USA, 87  
Inertial separation, 87  
Separation, inertial, 87  
Cyclone filter, 87  
Filter, cyclone, 87  
Stokes' law tube, 87  
Centrifugal action, 87  
Hydrocyclone, 87  
Hydrocyclone filter, 87  
Filter, hydrocyclone, 87  
Gaseous cyclone filter, 87  
Filter, gaseous cyclone, 87  
Vortex-finder, 87  
Welded inline filters, 88  
Filters, welded inline, 88  
Pleated mesh elements, 88  
Elements, pleated mesh, 88  
Sintered filter element, 88  
Element, sintered filter, 88  
Filter, sintered element, 88  
Swirlclean bypass filter (Collins), 89  
Filter, Collins Swirlclean (bypass), 89  
Collins Products Company, 89  
Iron sulfide, 89  
Swirlclean bypass filter (Collins) specifications, 91  
Filter, Collins Swirlclean (bypass) specifications, 91  
Grabner VPSO filter, 92  
Filter, Grabner VPSO, 92  
Grabner, VPSO filter, 92  
Self-cleaning sample gas filter, 93  
Filter, self-cleaning sample gas, 93  
Gas filter, self-cleaning, 93  
Buhler Analysis Systems Inc., 93  
Inline filters, 94  
Filters, inline, 94  
Removeable filters, 94  
Filters, removeable, 94  
Bypass filters, 94  
Filters, bypass, 94

Sintered elements, 95  
Elements, sintered, 95  
Strainer elements, 95  
Elements, strainer, 95  
Wire mesh elements, 95  
Elements, wire mesh, 95  
TF series filters, 95  
Filters, TF series  
F series filters, 95  
Filters, F series, 95  
Filter nominal rating, 95  
Filter effective area, 95  
Filter cake, 95  
Effective area, filter, 95  
NACE compliance, 96  
Balston filter housing and cartridge selection table, 96  
Filter housing and cartridge selection table, Balston, 96  
Selection table, filter housing and cartridge selection table (Balston), 96  
Suspended liquids in gases, 97  
Liquids (suspended) in gases, 97  
Oxygen service, 97  
Sintered stainless steel cartridges, 97  
Cartridges, sintered stainless steel, 97  
Microfibre filter cartridges, 97  
Filter cartridges, microfibre, 97  
Liquid filtration, 97  
Gas filtration, 97  
Filtration, liquid, 097  
Filtration, gas, 97  
NACE specifications, 98  
Support core, filter, 98  
Filter, support core, 98  
Sintered metal filter, 98  
Filter, sintered metal, 98  
ASME code-stamped model, 98  
Code-stamped, ASME, 98  
Pyrex glass bowls, 99  
Glass bowls, Pyrex, 99  
Acrylic bowl guards, 99  
Bowl guards, acrylic, 99  
Guards, bowl (acrylic), 99  
Filter, carbon cartridge, 99  
Carbon cartridge, 99  
Support core, 99  
Core, support, 99  
ASME code-stamped model, 99

Code-stamped, ASME, 99  
NACE specifications, 100  
Support core, filter, 100  
Filter, support core, 100  
ASME code-stamped model, 100  
Parker Hannifin Corporation, Filtration and Separation Division, 100  
Code-stamped, ASME, 100  
Filter, carbon cartridge, 100  
Carbon cartridge, 100  
ASME code-stamped model, 101  
Code-stamped, ASME, 101  
Parker Hannifin Corporation, Filtration and Separation Division, 101  
U-type pull handle, filter, 101  
Filter, U-type pull handle, 101  
Dead volume, 101  
Buhler Analysis Systems Inc., 101  
Hydrocyclones, 102  
Feed slurry, 102  
Slurry, feed, 102  
Overflow, 102  
Underflow, 102  
Apex orifice, 102  
Vortex finer, 102  
Cylindrical section, 102  
Conical section, 102  
Cylindrical feed chamber, 102  
Splash skirt, 103  
Underflow slurry, 103  
Krebs Engineers, 103  
Hydrocyclone, 104  
Krebs Engineers, 104  
Involute feed, 104  
Tangential feed, 104  
Feed, involute, 104  
Feed, tangential, 104  
Cyclone filter, 105  
Keen Systems, 105  
Panel-mounted particulate filter, 106  
Filter, panel-mounted, particulate, 106  
Particulate filter, panel-mounted, 106  
Buhler Analysis Systems Inc., 106  
Filter paper discs, 106  
Wet and dirty gas, 107  
Heater, clamp-on modular, 107  
Clamp-on modular heater, 107  
Quantitative measurement of solids in gas, 108

Solids in gas, quantitative measurement, 108  
Filter, quantitative measurement of solids in gas, 108  
Filter, solids in gas, quantitative measurement, 108  
Particulate matter, 108  
Tube-disc assembly, 108  
Filter, tube-disc assembly, 108  
Parker Hannifin Corporation, Filtration and Separation Division, 108  
Balston, Parker Hannifin Corporation, Filtration and Separation Division, 108  
Flood type calibration port, 109  
Calibration port, flood type, 109  
Heated gas sample filter, 109  
Filter, heated gas sample, 109  
Heated sample gas conditioning system, 110  
Sample gas conditioning system, heated, 110  
Rosemount Analytical Inc., 110  
Heated sample gas conditioning system, 111  
Sample gas conditioning system, heated, 111  
Rosemount Analytical Inc., 111  
Sample pump module, 112  
Pump module, sample, 112  
Single-head pump, 112  
Pump, single-head, 112  
Dual-head pump, 112  
Pump, dual-head, 112  
Sample gas conditioning system, multi-purpose, 112  
Gas conditioning sample system, multi-purpose, 112  
Rosemount Analytical Inc., 112  
Moisture sensor, 113  
Moisture carry-over, 113  
Sensor, moisture, 113  
Carry-over, moisture, 113  
Rosemount Analytical Inc., 113  
Flexible modular design, sample system, 114  
Modular design, flexible sample system, 114  
Rosemount Analytical Inc., 114  
Guard filter, 115  
Filter, guard, 115  
Modules, sample system, 115  
Sample system modules, 115  
Sample cooling, 116  
Cooling, sample, 116  
Surface-to-air cooling, 116  
Cooling, surface-to-air, 116  
Mud, 116  
Shell-and-tube heat exchanger, 116  
Heat-exchanger, shell-and-tube, 116

Cooling media, 116  
Refrigerated circulating bath, 116  
Bath, refrigerated circulating, 116  
Adiabatic cooling, 116  
Cooling, adiabatic, 116  
Peltier element, 116  
Element, Peltier, 116  
Finned sample tubing, 116  
Sample tubing, finned, 116  
Fin bonding, 116  
Bonding, fin, 116  
Fin spacing, 116  
Spacing, fin, 116  
Fin heights, 116  
Aerofin, 117  
Heat Exchange Applied Technology, 117  
Lytron Inc., 117  
Marlo Coil, 117  
Vortex tube operation, 117  
ITW Vortec, 117  
EXAIR Corporation, 117  
Refrigerated sample coolers, 117  
Coolers, refrigerated sample, 117  
Motor-driven compressor, 117  
Compressor, motor-driven, 117  
Peltier element, 117  
Buhler Analysis Systems Inc., 117  
Gas cooler duty, 117  
Duty, gas cooler, 117  
Cooler, gas, duty, 117  
Compressor gas cooler, 117  
Cooler, compressor, gas, 117  
Switched-compressor sample gas cooler, 117  
Cooler, sample gas, switched compressor, 117  
Electronically controlled compressor sample gas cooler, 117  
Cooler, sample gas, electronically controlled compressor, 117  
Compressor function gas, 117  
Gas, compressor function, 117  
Peltier cooler, 118  
Cooler, Peltier, 118  
Peltier effect, 118  
Cooler, conventional refrigeration gs, 118  
Conventional refrigeration gas cooler, 118  
Flat heat exchanger, 118  
Heat exchanger, flat, 118  
Condensation, 118

Condensate reservoir, 118  
Reservoir, condensate, 118  
Drain orifice, 118  
Orifice, drain, 118  
Peristaltic pump, 118  
Pump, peristaltic, 118  
Pump rotor, 118  
Pump housing, 118  
Housing, pump, 118  
Rotor, pump, 118  
Flexible tubing, 118  
Tubing, flexible, 118  
Refrigerated sample coolers, 118  
Coolers, refrigerated sample, 118  
Coaxial heat exchangers, 118  
Heat exchangers, coaxial, 118  
Tube-in-tube heat exchangers, 118  
Heat exchangers, tube-in-tube, 118  
Baldwin Environmental Inc., 118  
Buhler Analysis Systems Inc., 118  
M & C Products-USA, 118  
Universal Analyzers Inc., 118  
Thermoelectric modules, 118  
Modules, thermoelectric, 118  
Super Cool US Inc., 118  
Tellurex Corporation, 118  
Cole-Parmer Instrument Company, 118  
Edwards Engineering Corp., 118  
Exergy Inc., 118  
Hoke Incorporated, 118  
Parker Instrumentation Connectors Division, 118  
Fin-and-tube heat exchangers, 119  
Heat exchangers, fin-and-tube, 119  
ITT Standard, 119  
Lytron Inc., 119  
Shell-and-tube heat exchanger, 119  
Heat-exchanger, shell-and-tube, 119  
Exergy Inc., 119  
Helical coil heat exchangers, 119  
Heat exchangers, helical coil, 119  
Graham Manufacturing Co., Inc., 119  
Sentry Equipment Corp., 119  
Phase separation, 119  
Separation, phase, 119  
High-velocity gaseous sample streams, 119  
Sample streams, high-velocity gas, 119

Vertical heat exchanger, 119  
Heat exchanger, vertical, 119  
Packed towers, 119  
Towers, packed, 119  
Membrane separation devices, 119  
Devices, membrane separation, 119  
Separation devices, membrane, 119  
Nafion material, 119  
Teflon material, 119  
A+ Corporation, 119  
Parker Hannifin Corporation, Filtration and Separation Division, 119  
Balston, Parker Hannifin Corporation, Filtration and Separation Division, 119  
Perma Pure Inc., 119  
Dewpoint calculations, 119  
Partial pressure contributions, 119  
Vapor pressure of water, 119  
Steam tables, 119  
Vapor pressure of pure substances, 119  
Sample dew point, 120  
Dew point, sample, 120  
Acid dew point, 120  
Dew point, acid, 120  
Shell-and-tube heat exchanger, operation schematic, 120  
Heat-exchanger, shell-and-tube, operation schematic, 120  
Shell-and-tube heat exchanger, 121  
Heat exchanger, shell-and-tube, 121  
Buhler Analysis Systems Inc., 121  
Shell-and-tube heat exchanger, application example, 121  
Heat-exchanger, shell-and-tube, application example, 121  
Exergy Inc., 121  
Thermodynamic properties of heat exchangers, 1224  
Heat exchangers, thermodynamic properties, 124  
Transport properties of heat exchangers, 1224  
Heat exchangers, transport properties, 124  
Heat balance of heat exchangers, 124  
Heat exchangers, heat balance, 124  
Flow type of heat exchangers, 124  
Heat exchangers, flow type, 124  
Gas heat exchanger performance, 124  
Heat exchanger performance, gas sample, 124  
Liquid heat exchanger performance, 124  
Heat exchanger performance, liquid sample, 124  
Exergy Inc., 124  
Heat exchanger heat transfer rate, 125  
Heat transfer rate, heat exchanger, 125  
Exergy Inc., 125



Refrigerated liquid-stream sample cooler, 126  
Sample cooler, refrigerated liquid stream, 126  
Universal Analyzers Inc., 126  
Refrigerated sample gas cooler, 127  
Sample gas cooler, refrigerated, 127  
Heat exchange tubing, 128  
Tubing, heat exchange, 128  
Helical protrusions, 128  
Integral fins, 128  
Edwards Engineering, 128  
Vortex tube, pictorial representation, 129  
Vortex tube, operation description, 129  
ITW Vortec, 129  
Georges Ranque, 129  
Ranque, Georges, 129  
Vortex cooler system, 130  
ITW Vortec, 130  
Control valve, non-electric thermal, 131  
Thermal bulb, control valve (non-electric), 131  
Universal Analyzers Inc., 131  
Pneumatic-cooled condenser assembly, 132  
Keen Systems, 132  
Condenser assembly, pneumatic-cooled, 132  
Gas cooler selection, CD program, 132  
Peltier sample cooler, 133  
Sample cooler, Peltier, 133  
Buhler Analysis Systems Inc., 133  
Peristaltic pump, 134  
Pump, peristaltic, 134  
Buhler Analysis Systems Inc., 134  
Peristaltic pump, 135  
Pump, peristaltic, 135  
Universal Analyzers Inc., 135  
Heat exchanger pressure, 136  
Pressure, heat exchanger, 136  
Sample transfer pump, 136  
Pump, sample transfer, 136  
Universal Analyzers Inc., 136  
Coaxial (tube-in-tube) heat exchangers, 137  
Heat exchangers, coaxial (tube-in-tube), 137  
Tube-in-tube heat exchangers, coaxial, 137  
Exergy, Incorporated, 137  
Helical coil heat exchangers, 138  
Heat exchangers, helical coil, 138  
Sentry Equipment Corporation, 138  
Membrane separation devices, 139

Separation devices, membrane, 139  
A+ Corporation, 139  
Genie separator, 140  
Separator, Genie, 140  
A+ Corporation, 140  
Membrane gas dryer, 141  
Gas dryer, membrane, 141  
Perma Pure Inc., 141  
Nafion membrane gas dryers, 142  
Gas dryers, Nafion membrane, 142  
Perma Pure Inc., 142  
Membrane separator filter, 143  
Filter, membrane separator, 143  
Coalescer filter, 143  
Filter, coalescer, 143  
Parker Hannifin Corporation, Filtration and Separation Division, 143  
Balston, Parker Hannifin Corporation, Filtration and Separation Division, 143  
Moisture detector, 144  
Detector, moisture, 144  
Buhler Analysis Systems Inc., 144  
Knock-out pot, 145  
Pot, knock-out, 145  
VREL pressure-reducing unit, 145  
Pressure reducing unit, VREL, 145  
Sentry Equipment Corporation, 145  
Thermal shut off valve (VREL), 146  
VREL, thermal shut off valve, 146  
Sentry Equipment Corporation, 146  
Gas cooler duty calculation program, 147  
Gas cooler interactive selection, CD, 147  
Buhler Analysis Systems Inc., 147  
Rotary pumps, 148  
Pumps, rotary, 148  
Viking Pump School, 148  
Pump School, Viking, 148  
Viking Pump, Inc., a unit of IDEX Corp., 148  
Sample transfer pump, 149  
Pump, sample transfer, 149  
Reciprocating piston diaphragm pump, 149  
Pump, reciprocating piston diaphragm, 149  
Vibration absorbing pads, 149  
Pads, vibration absorbing, 149  
Cavitate, 149  
Sample pump capacity, 149  
Pump capacity, sample, 149  
Viscosity of liquid samples, 149

Viscous liquid samples, 149  
Samples, viscous liquid, 149  
Centrifugal pump, 150  
Pump, centrifugal, 150  
Suction, 150  
Head, 150  
Head pressure, 150  
Pressure, head, 150  
Impeller, 150  
Volute, 150  
Body, 150  
Magnetic drive pump, 150  
Pump, magnetic drive, 150  
Shaft seal leakage, 150  
Leakage, shaft seal, 150  
Cole-Parmer Instrument Company, 150  
Omega Engineering Inc., 150  
Viking Pump, Inc., a unit of IDEX Corp., 150  
Gear pumps, 150  
Pumps, gear, 150  
Shear-sensitive sample fluids, 151  
Sample fluids, shear-sensitive, 151  
Fluids, shear-sensitive sample, 151  
Gear pump head, 151  
Pump head, gear, 151  
Cavity-style pump head, 151  
Pump head, cavity style, 151  
Pressure-loaded pump head, 151  
Pump head, pressure-loaded, 151  
Parker Hannifin Corporation, Zenith Pump Division, 151  
Viking Pump, Inc., a unit of IDEX Corp., 151  
Rotary vane vacuum pump, 151  
Pump, rotary vane vacuum, 151  
Pump, vacuum, rotary vane, 151  
Dry (non-lubricated) vacuum pump, 151  
Pump, dry (non-lubricated) vacuum, 151  
Pump, vacuum, dry (non-lubricated), 151  
Oil-lubricated vacuum pump, 151  
Pump, oil-lubricated vacuum, 151  
Pump, vacuum, oil-lubricated, 151  
Water-lubricated (liquid ring) vacuum pump, 151  
Pump, water-lubricated (liquid ring), 151  
Pump, liquid-ring, water lubricated, 151  
Edwards High Vacuum International (USA), 151  
Gast Manufacturing Corp., 151  
Metering pump, 151

Pump, metering, 151  
Bellows pump, 151  
Pump, bellows, 151  
Diaphragm pump, 151  
Pump, diaphragm, 151  
Infusion pump, 151  
Pump, infusion, 151  
Peristaltic pump, 151  
Pump, peristaltic, 151  
Linear-output-type pump, 151  
Pump, linear-output-type, 151  
Positive displacement pump, 151  
Pump, positive displacement, 151  
Piston, 152  
Connecting rod, 152  
Rod, connecting, 152  
Synthetic sapphire rod, 152  
Sapphire rod, 152  
Stellite, 152  
Stellite alloy, 152  
Spring-filled Teflon seals, 152  
Seals, spring-filled Teflon, 152  
Seals, Teflon, spring-filled, 152  
Bran & Luebbe Inc., 152  
KNF Neuberger Inc., 152  
LINC Manufacturing, 152  
Milton Roy Company, Flow Control Division, 152  
Fluid Metering Inc., 152  
Diaphragm pump, 152  
Pump, diaphragm, 152  
Bellows pump, 152  
Pump, bellows, 152  
Liquid diaphragm pump, 151  
Pump, liquid diaphragm, 151  
Flapper valve, 152  
Valve, flapper, 152  
Poppet valve, 152  
Valve, poppet, 152  
Ball-check valve, 152  
Valve, ball-check, 152  
Eccentric drive shaft, 153  
Drive, eccentric shaft, 153  
Connecting rod, 153  
Rod, connecting, 153  
Inlet check valve, 153  
Valve, inlet check, 153

Outlet check valve, 153  
Valve, outlet check, 153  
Phase transfer problems, 153  
Electric-powered diaphragm pump, 153  
Pump, diaphragm, electric-powered, 153  
Diaphragm pump, electric-powered, 153  
Pneumatic-powered diaphragm pump, 153  
Pump, diaphragm, pneumatic-powered, 153  
Diaphragm pump, pneumatic -powered, 153  
Air Dimensions, Inc., 153  
KNF Neuberger Inc., 153  
Buhler Analysis Systems Inc., 153  
M & C Products-USA, 153  
Sensidyne, 153  
Gillian Instrument Corp., 153  
Infusion pump, 153  
Pump, infusion, 153  
Hypodermic pump, 153  
Pump, hypodermic, 153  
Syringe pump, 153  
Pump, syringe, 153  
Gas-tight hypodermic syringes, 153  
Syringes, gas-tight hypodermic, 153  
Syringes, hypodermic, gas-tight, 153  
Cole-Parmer Instrument Company, 153  
Peristaltic pump, 154  
Pump, peristaltic, 154  
Slurries, 154  
Pump rotor, 154  
Rotor, pump, 154  
Pump housing, 154  
Housing, pump, 154  
Cole-Parmer Instrument Company, 154  
Ejector pump, 154  
Pump, ejector, 154  
Jet pump, 154  
Pump, jet, 154  
Aspirator pump, 154  
Pump, aspirator, 154  
Motive fluid, 154  
Fluid, motive, 154  
Eductor, 154  
Water-soluble gases, 154  
Gases, water-soluble, 154  
Cole-Parmer Instrument Company, 154  
Air-Vac Engineering Co., Inc., 155

Jerguson/Jacoby-Tarbox, 155  
Penberthy, 155  
Sampling Systems, 155  
Teflon hose, 155  
Hose, Teflon, 155  
Flexible metal hose, 155  
Hose, flexible metal, 155  
Hose end connections, 156  
Connections, hose end, 156  
Liquid pump selection flowchart, 157  
Flowchart, liquid pump selection, 157  
Cole-Parmer Instrument Company, 157  
Selection guide, air and gas diaphragm pump, 158  
Diaphragm pump, selection guide, 158  
Pump, diaphragm, selection guide, 158  
KNF Neuberger Inc., 158  
Liquid pump, selection guide, 159  
Pump, liquid, selection guide, 159  
KNF Neuberger Inc., 159  
Specialty gas pump selection guide, 159  
Selection guide, specialty gas pump, 159  
Pump type, descriptions and illustrations, 160  
Cole-Parmer Instrument Company, 160  
Centrifugal liquid pump terminology, 161  
Pump terminology, centrifugal liquid, 161  
Liquid pump (centrifugal) terminology, 161  
Cole-Parmer Instrument Company, 161  
Centrifugal pump, 162  
Pump, centrifugal, 162  
Rotary pump, 162  
Pump, rotary, 162  
Internal gear pump, 163  
Pump, internal gear, 163  
External gear pump, 164  
Pump, external gear, 164  
Lobe pump, 165  
Pump, lobe, 165  
Positive displacement pump, 166  
Pump, positive displacement, 166  
Hydraulic Institute, 166  
Institute, Hydraulic, 166  
Flexible member pump, 167  
Pump, flexible member, 167  
Internal gear pump, 167  
Pump, internal gear, 167  
External gear pump, 167

Pump, external gear, 167  
Vane pump, 167  
Pump, vane, 167  
Lobe pump, 167  
Pump, lobe, 167  
Screw pump, 167  
Pump, screw, 167  
Circumferential piston pump, 167  
Pump, circumferential piston, 167  
Vane pump, 168  
Pump, vane, 168  
Sliding vane pump, 168  
Pump, sliding vane, 168  
Internal gear pump, 169  
Pump, internal gear, 169  
External gear pump, 169  
Pump, external gear, 169  
Positive displacement pump characteristics, 169  
Pump characteristics, positive displacement, 169  
Positive displacement pump characteristics, 170  
Pump characteristics, positive displacement, 170  
Lobe pump, 170  
Pump, lobe, 170  
Sliding vane pump, 170  
Pump, sliding vane, 170  
Internal gear pump, 170  
Pump, internal gear, 170  
External gear pump, 170  
Pump, external gear, 170  
Guide to metering pumps, 171  
Metering pumps, guide, 171  
Bellows pump, 171  
Pump, bellows, 171  
Diaphragm pump, 171  
Pump, diaphragm, 171  
Peristaltic pump, 171  
Pump, peristaltic, 171  
Syringe pump, 171  
Pump, syringe, 171  
Piston pump, 171  
Pump, piston, 171  
Cole-Parmer Instrument Company, 171  
KNF Neuberger Inc., 171  
KNF Neuberger Inc., 172  
Diaphragm pump, 172  
Pump, diaphragm, 172

Peristaltic pump, 172  
Pump, peristaltic, 172  
Linear pump, 151  
Pump, linear, 151  
Diaphragm, operating, 173  
Pump, diaphragm (exploded view), 174  
Diaphragm pump, (exploded view), 174  
Diaphragm pump, 176  
Pump, diaphragm, 176  
Diaphragm pump (explosion-proof, steam-traced head), 177  
Pump, diaphragm (explosion-proof, steam-traced head), 177  
Bellows pump, 178  
Pump, bellows, 178  
Diaphragm pump, 178  
Pump, diaphragm, 178  
Piston pump, 178  
Pump, piston, 178  
Cole-Parmer Instrument Company, 178  
Remote-mount head bellows pump, 179  
Pump,remote-mount head bellows, 179  
Buhler Analysis Systems Inc., 179  
Pump, heated-head micro-diaphragm type, 180  
Diaphragm pump, heated-head, micro, 180  
Pump, quad-head diaphragm-type, 181  
Diaphragm pump, quad head, 181  
Diaphragm pump, air-driven motor, 182  
Pump, diaphragm-type, air-driven motor, 182  
Air Dimensions, Inc., 182  
Peristaltic pump, 183  
Pump, peristaltic, 183  
Cole-Parmer Instrument Company, 183  
Jet pump, cutaway illustration, 184  
Pump, jet (cutaway illustration), 184  
Eductor pump, cutaway illustration, 184  
Pump, eductor (cutaway illustration), 184  
Jet pump, operational illustration, 184  
Pump, jet (operational illustration), 184  
Eductor pump, operational illustration, 184  
Pump, eductor (operational illustration), 184  
Jet pump, application guide, 184  
Pump, jet (application guide), 184  
Eductor pump, application guide, 184  
Pump, eductor (application guide), 184  
Penberthy, 184  
Penberthy, 185  
Down-the-hole pump, 186



Pump, down-the-hole, 186  
Pump, air-driven liquid transfer, 186  
Air-driven liquid transfer pump, 186  
Liquid transfer air-driven pump, 186  
Compact check valve, 187  
Valve, compact check, 187  
Check valve, compact, 187  
Check/relief valve, adjustable cracking pressure, 188  
Valve, check/relief, adjustable cracking pressure, 188  
Check/relief valve, adjustable cracking pressure, 189  
Valve, check/relief, adjustable cracking pressure, 189  
Check/relief valve, adjustable cracking pressure, directed relief stream, 190  
Valve, check/relief, adjustable cracking pressure, directed relief stream, 190  
Check/relief valve (proportional), adjustable cracking pressure, directed relief stream, 190  
Valve, proportional check/relief, adjustable cracking pressure, directed relief stream, 190  
Excess flow valve, 191  
Valve, excess flow, 191  
Gas-liquid separation, 193  
Separation, gas-liquid, 193  
Liquid-liquid separation, 193  
Separation, liquid-liquid, 193  
Stainless steel shavings, 193  
Shavings, stainless steel, 193  
Teflon shavings, 193  
Shavings, Teflon, 193  
Stainless steel wool, 193  
Wool, stainless steel, 193  
Fiberglass wool, 193  
Wool, fiberglass, 193  
Py-Gas sample conditioner, 193  
Sample conditioner, Py-Gas, 193  
Liquid droplet carryover, 193  
Carryover, liquid droplet, 193  
NEC/NFPA, 193  
NFPA/NEC, 193  
Canada-CSA, 193  
CSA-Canada, 193  
USA-NEC/NFPA, 193  
NFPA/NEC-USA, 193  
UK-CENELEC, 193  
CENELEC-UK, 193  
Cyclone filter, 193  
Filter, cyclone, 193  
Outflow, 194  
Overflow, 194

Underflow, 194  
Underflow/overflow ratio, 194  
Return-flow cyclones, 194  
Cyclones, return-flow, 194  
Hayward, Wright-Austin Division, 194  
Straight wall vessel body cyclone, 194  
Cyclone, straight wall vessel body, 194  
Lower vessel collection cone, 194  
Cyclone, lower vessel collection cone, 194  
Coalescing, 194  
Bypass flow, 194  
Flow, bypass, 194  
Sample velocity, 195  
Phase density difference, 195  
Hydrophilic media, 195  
Hydrophobic media, 195  
Sintering, 195  
Spatial efficiency, 195  
Miscible sample components, 195  
Coalescing filter application, 195  
Filter application, coalescing, 195  
Filter application, particulate, 195  
Particulate filter application, 195  
Automatic float-operated valve, 195  
Valve, automatic float-operated, 195  
Timed-opening bypass flow vent valve, 195  
Valve, timed-opening bypass flow vent, 195  
Valve-reservoir-valve configuration, automatic sequenced, 195  
Bubble removal chamber, 195  
Chamber, bubble removal, 195  
Ceramic saddles packing, 195  
Packing, ceramic saddles, 195  
Stainless steel shavings packing, 195  
Packing, stainless steel shavings, 195  
Sample inlet, 195  
Inlet, sample, 195  
Gas outlet, 195  
Outlet, gas, 195  
Top gas outlet, 195  
Gas outlet, top, 195  
Outlet, top gas, 195  
Sample outlet, 195  
Outlet, sample, 195  
Balancing the flows, 195  
Flow balancing, 195  
Inlet flow, 195

Flow, inlet, 195  
Bypass flow, 195  
Flow, bypass, 195  
Outlet flow, 196  
Flow outlet, 196  
Bubble separator, 196  
Separator, bubble, 196  
Surface tension, 196  
Tension, surface, 196  
Filter media, 196  
Media, filter, 196  
Stripper column, 196  
Column, stripper, 196  
Packed stripper column, 196  
Column, stripper, packed 196  
Heated stripper column, 196  
Column, stripper, heated, 196  
Temperature-controlled oven, 196  
Oven, temperature-controlled, 196  
Stripping gas, 196  
Gas, stripping, 196  
Dissolved gas, 196  
Gas, dissolved, 196  
Knockout pot, 196  
Pot, knockout, 196  
Sample separation device, 196  
Separation device, sample, 196  
Nafion membrane, 196  
Membrane, Nafion, 196  
Vapor phase water, 196  
Water, vapor phase, 196  
Water of hydration, 196  
Absorption basis, 196  
Wet process gas sample, 196  
Sample gas, wet process, 196  
Gas, wet process sample, 196  
Dry purge gas, 196  
Gas, dry purge, 196  
Purge gas, dry, 196  
Humidity equilibrium, 196  
Equilibrium, humidity, 196  
Dry purge gas flow rate, 196  
Gas flow rate, dry purge, 196  
Flow rate, dry gas purge, 196  
Wet process gas sample flow rate, 196  
Sample gas flow rate, wet process, 196

Flow rate, wet process sample gas, 196  
Perma Pure Inc., 197  
Polar organic substances, 197  
Substances, polar organic, 197  
Amines, 197  
Ammonia, 197  
Process sample moisture content, 197  
Moisture content, process sample, 197  
Sample, process, moisture content, 197  
Dry air, 197  
Air, dry, 197  
Werther International, 197  
PneumaTech Inc., 197  
Perma Pure Inc., 197  
Pneumatic sequence programmer, 197  
Programmer, pneumatic sequence, 197  
Process reflux sample gas conditioner, 198  
Sample gas conditioner, process reflux, 198  
Reflux process sample gas conditioner, 198  
Analytical Specialties, 198  
Analytical Specialties, 199  
Process reflux sample gas conditioner (schematic), 199  
Sample gas conditioner, process reflux (schematic), 199  
Reflux process sample gas conditioner (schematic), 199  
Process reflux sample gas conditioner (theory of operation), 200-201  
Sample gas conditioner, process reflux (theory of operation), 200-201  
Reflux process sample gas conditioner (theory of operation), 200-201  
Process reflux sample gas conditioner (application note), 202  
Sample gas conditioner, process reflux (application note), 202  
Reflux process sample gas conditioner (application note), 202  
Coalescing filter (operational description), 203  
Filter, coalescing (operational description), 203  
Filter, particulate, horizontal-mount, 204  
Particulate filter, horizontal-mount, 204  
Filter, coalescing, horizontal-mount, 204-205  
Coalescing filter, horizontal-mount, 204-205  
Particulate 5-port filter, 206  
Filter, particulate, 5-port, 206  
Coalescing 5-port filter, 206  
Filter, coalescing, 5-port, 206  
Coalescing filter, typical European configuration, 207  
Filter, coalescing, typical European configuration, 207  
Filtration application note: Coalescing filtration, 208  
Application note, filtration: Coalescing, 208  
Filtration application note: Sampling liquid effluent streams, 208  
Application note, filtration: Sampling liquid effluent streams, 208

Filtration application note: Removing gas bubbles from liquids, 208  
Application note, filtration: Removing gas bubbles from liquids, 208  
Filtration application note: Slipstream sampling plus coalescing filtration, 209  
Application note, filtration: Slipstream sampling plus coalescing, 209  
Filtration application note: Coalescing membrane filtration, 210  
Application note, filtration: Coalescing membrane, 210  
Balston/Parker Filtration Systems, 208  
Balston/Parker Filtration Systems, 209  
Balston/Parker Filtration Systems, 210  
Filtration, mode of operation: Coalescing, 211  
Coalescing filtration, mode of operation, 211  
Filtration, mode of operation: Particulate filtration, 211  
Particulate filtration, mode of operation, 211  
Swagelok Company, 211  
Filtration application note: Draining collected liquid, 211  
Application note, filtration: Draining collected liquid, 211  
Filtration application note: Coalescing filtration, 212  
Application note, filtration: Coalescing, 212  
Balston/Parker Filtration Systems, 211  
Balston/Parker Filtration Systems, 212  
Filtration application note: Removing gas bubbles from liquids, 213  
Application note, filtration: Removing gas bubbles from liquids, 213  
Balston/Parker Filtration Systems, 212  
Balston/Parker Filtration Systems, 213  
Knock-out pot, 213  
Pot, knockout, 213  
Inertial separation of entrained liquids, 213  
Separation of entrained liquids, inertial, 213  
Entrained liquids, inertial separation, 213  
Liquids, entrained, inertial separation, 213  
John Wiley and Sons Inc., 213  
Nafion dryer schematic, 214  
Dryer schematic, Nafion, 214  
Molecular sieve drying, 215  
Drying, molecular sieve, 215  
Drying, microporous hydrophobic filter, 215  
Microporous tubing dryers, 215  
Dryers, microporous tubing, 215  
Perma Pure Inc., 215  
Ionic pores in Nafion, 216  
Nafion, ionic pores within, 216  
Sulfonic acid groups in Nafion, 216  
Nafion, sulfonic acid groups, 216  
Perma Pure Inc., 216  
Nafion permeability: gases totally retained, 217  
Gases totally retained by Nafion, 217

Nafion permeability: gases removed, 217  
Gases removed by Nafion, 217  
Perma Pure Inc. 217  
Nafion dryer failures, 218  
Failures, Nafion dryer, 218  
Dryer failures, Nafion, 218  
Perma Pure Inc., 218  
Isolation valve, 219  
Valve, isolation, 219  
Ball valve, 219  
Valve, ball, 219  
Plug valve, 219  
Valve, plug, 219  
Toggle valve, 219  
Valve, toggle, 219  
Needle valve, 219  
Valve, needle, 219  
Valve, rising stem type, 219  
Rising stem type valve, 219  
Shut-off seal, 219  
Seal, shut-off, 219  
Galling, 219  
Nonrotating ball, 219  
Ball, nonrotating, 219  
Nonrotating rising stem, 219  
Rising stem, nonrotating, 219  
Replaceable polymer stem tip, 219  
Stem tip, replaceable polymer, 219  
Tip, stem, replaceable polymer, 219  
Straight pattern valve, 219  
Valve, straight pattern, 219  
Globe pattern valve, 220  
Valve, globe pattern, 220  
Calibrated indicator (Vernier) handle, 220  
Handle, calibrated indicator (Vernier), 220  
Repeatable flow adjustments, 220  
Flow adjustments, repeatable, 220  
Cross pattern metering valve, 220  
Valve, cross pattern metering, 220  
Metering valve, cross pattern, 220  
Flow regulation valve, 220  
Valve, flow regulation, 220  
Flow isolation valve, 20  
Valve, flow isolation, 220  
Shut-off service valve, 220  
Valve, shut-off service, 220

- Direction selection valve, 220
- Valve, direction selection, 220
- Switching valves, 220
- Valves, switching, 220
- Crossover valves, 220
- Valves, crossover, 220
- Center-equals-off position, 220
- Position, center-equals-off, 220
- Flow port positioning, 220
- Positioning, flow port, 220
- Positive flow port positioning, 220
- Positioning, positive flow port, 220
- Port-to-port leakage, 220
- Leakage, port-to-port, 220
- Internal packing shrinkage, 220
- Shrinkage, internal packing, 220
- Live-loaded-seat packing configuration, 220
- Packing configuration, live-loaded-seat, 220
- Trunnion-style ball valve, 220
- Valve, trunnion-style ball, 220
- Spring-loaded seats, 220
- Seats, spring-loaded, 220
- Protection valves, 220
- Valves, protection, 220
- Bleed valves, 220
- Valves, bleed, 220
- Vent tube, 220
- Tube, vent, 220
- Vent line, 220
- Line, vent, 220
- Check valves, 220
- Valves, check, 220
- Mechanical lift-check type valve, 220
- Valve, mechanical lift-check type, 20
- Internal-poppet spring-loaded adjustable-cracking-pressure type check valve, 220
- Valve, internal-poppet spring-loaded adjustable-cracking-pressure type check, 220
- Check valve, internal-poppet spring-loaded adjustable-cracking-pressure type, 220
- Bubble-tight seal condition, 221
- Seal condition, bubble-tight, 221
- Cracking pressure, 221
- Pressure, cracking, 221
- Excess flow valves, 221
- Valves, excess flow, 221
- Installation orientation problems, 221
- Problems, installation orientation, 221
- Orientation problems, installation, 221

Purge valves, 221  
Valves, purge, 221  
Relief valves, 221  
Valves, relief, 221  
Protection valves, 221  
Valves, protection, 221  
Packless valves, 221  
Valves, packless, 221  
Metal bellows valves, 221  
Valves, metal bellows, 221  
Bellows valves, metal, 221  
Metal diaphragm valves, 221  
Valves, metal diaphragm, 221  
Diaphragm valves, metal, 221  
Static seal, 221  
Seal, static, 221  
Chemiquip Products Co. Inc., 221  
Chemtec Equipment Co. Inc., 221  
Circle Seals Controls Inc., 221  
GO Inc., 221  
Hoke International, 221  
Integrated Flow Systems Inc., 221  
Swagelok Company, 221  
Metal bellows valves, 222  
Valves, metal bellows, 222  
Bellows valves, metal, 222  
Metal diaphragm valves, 222  
Valves, metal diaphragm, 222  
Diaphragm valves, metal, 222  
Laser-drilled synthetic sapphire flow element, 222  
Flow element, laser-drilled synthetic sapphire, 222  
Synthetic sapphire flow element, laser-drilled, 222  
Laser-drilled ruby flow element, 222  
Flow element, laser-drilled ruby, 222  
Ruby flow element, laser-drilled, 222  
Precision flow restrictors, 222  
Flow restrictors, precision, 222  
Restrictors, precision flow, 222  
Bird Precision, 222  
O'Keefe Controls Co., 222  
Low-rate flow controllers, 222  
Flow controllers, low-rate, 222  
High-rate flow controllers, 222  
Flow controllers, high-rate, 222  
Brooks Instrument, 222  
Wallace & Tiernan Inc., 222



Low-volume flow rates, 222  
Flow rates, low-volume, 222  
Liquid level indication, 222  
Level indication, liquid, 222  
Indication, liquid level, 222  
Liquid specific gravity determination, 222  
Specific gravity determination, liquid, 222  
Proportional mixing, 222  
Mixing, proportional, 222  
Rotameters, 222  
Internal float, 222  
Float, internal, 222  
Rotameters, gas service, 222  
Gas service rotameters, 222  
Liquid service rotameters, 222  
Rotameters, liquid service, 222  
Anti-backflow device, 222  
Device, anti-backflow, 222  
Splash shield, 223  
Shield, splash, 223  
Armored flow meter, 223  
Flow meter, armored, 223  
Armored rotameter, 223  
Rotameter, armored, 223  
Encapsulated magnet, 223  
Magnet, encapsulated, 223  
Typical flow ranges for water, 223  
Flow ranges, typical for water, 223  
Water flow, typical ranges, 223  
Typical flow ranges for gas, 223  
Flow ranges, typical for gas, 223  
Gas flow, typical ranges, 223  
Brooks Instrument, 223  
Wallace & Tiernan Inc., 223  
Dwyer Instruments Inc., 223  
Messer-Gas Technology & Services Group, 223  
Flow switches, 223  
Switches, flow, 223  
Reed switch, 223  
Switch, reed, 223  
User-adjustable set points, 223  
Set points, user-adjustable, 223  
Factory-programmed set points, 223  
Set points, factory-programmed, 223  
Chemiquip Products Co. Inc., 223  
Chemtec Equipment Co. Inc., 223

Coned disc spring, 224  
Spring, coned disc, 224  
Chevron stem packing, 224  
Packing, stem (chevron), 224  
Ball valves: two-way, 225  
Valves, two-way ball, 225  
Rising stem plug valve<sup>3</sup>, 225  
Valve, rising stem plug, 225  
Plug valve, rising stem, 225  
Toggle-operated shut-off valve, 226  
Valve, toggle-operated shut-off, 226  
Shut-off valve, toggle-operated, 226  
Rotating stem plug valves, 226  
Plug valves, rotating stem, 226  
Valves, rotating stem plug, 226  
Hoke Valve Products, 225  
Swagelok Company, 226  
Rotary plug valve, 227  
Valve, rotary plug, 227  
Plug valve, rotary, 227  
Hoke Valve Products, 227  
General-purpose needle valve, 228  
Valve, general purpose needle, 228  
Needle valve, general purpose, 228  
Severe-service screwed-bonnet needle valve, 228  
Screwed-bonnet needle valve, severe service, 228  
Needle valve, screwed-bonnet severe service, 228  
Vernier-handle angle-pattern fine metering valve, 229  
Metering valve, fine, Vernier-handle angle-pattern, 229  
Angle-pattern Vernier-handle fine metering valve, 229  
Needle valve flow curves, 230  
Flow curves, needle valve, 230  
Needle valve stem comparison, 231  
Stem comparison, needle valve, 231  
Regulating valve flow curves, 232  
Flow curves, regulating valve, 232  
Metering valves with micrometer handles, 233  
Micrometer handles, metering valves, 233  
Straight (globe) pattern needle valve, 233  
Needle valve, straight (globe) pattern, 233  
Valve, straight (globe) pattern needle, 233  
Double (maximum flow) pattern needle valve, 234  
Valve, double (maximum flow) pattern needle, 234  
Needle valve, double (maximum flow) pattern, 234  
Cross (tee) pattern needle valve, 234  
Valve, cross (tee) pattern needle, 234

- Needle valve, cross (tee) pattern, 234
- Ball valves, three-way direction selection, 235
- Three-way direction selection ball valves, 235
- Direction selection three-way ball valves, 235
- Switching valves, 235
- Valves, switching, 235
- Ball valves, three-port with directional handle, 236
- Three-port with directional handle ball valves, 236
- Directional handle three-port ball valves, 236
- Five-way valve, 237
- Valve, five-way, 237
- Crossover pattern valves, 237
- Valves, crossover pattern, 237
- Ball valves: two-way, 238
- Two-way ball valves, 238
- Ball valves: three-way, 238
- Three-way ball valves, 238
- Trunnion ball valve, 238
- Valve, trunnion ball, 238
- Ball valve, trunnion, 238
- Bleed (relief) valve, 238
- Valve, bleed (relief), 238
- Relief (bleed) valve, 238
- Bleed valves, 239
- Valves, bleed, 239
- Flow check/relief valve, 239
- Valve, flow check/relief, 239
- Relief/flow check valve, 239
- Excess flow valve, 240
- Valve, excess flow, 240
- Metal-seated excess flow valve, 241
- Valve, metal-seated excess flow, 241
- Excess flow valve, metal-seated, 241
- Excess flow valve operation description, 242
- Valve, excess flow, operation description, 242
- Excess flow valve operation description, 243
- Valve, excess flow, operation description, 243
- Bleed valve cutaway, 243
- Valve, bleed, cutaway, 243
- Angle pattern proportional pressure relief valve, 244
- Valve, angle pattern proportional pressure relief, 244
- Right-angle pattern relief valve, 244
- Valve, right-angle pattern relief, 244
- Relief valve, right angle pattern, 244
- Metal bellows non-rotating stem tip severe service valve, 245
- Valve, metal bellows non-rotating stem tip severe service, 245

Severe service valve, metal bellows non-rotating stem tip, 245  
Pressure relief (proportional) angle pattern valve, 244  
Diaphragm valve, 246  
Valve, diaphragm, 246  
Diaphragm valve, 247  
Valve, diaphragm, 247  
Sample selection valve, thirty-two port, 248  
Thirty-two port sample selection valve, 248  
Valve, thirty-two port sample selection, 248  
Sampling Systems, a Division of PMMI Inc., 248  
Thirty-two port sample selection valve-operating diagram, 249  
Valve, thirty-two port sample selection-operating diagram, 249  
Sampling Systems, a Division of PMMI Inc., 249  
Backplate for wall or rack mounting, 250  
Wall or rack (backplate) mounting, 250  
Rack or wall (backplate) mounting, 250  
Rosemount Analytical Inc., 250  
Bypass flowmeter, 250  
Flowmeter, bypass, 250  
Needle valve, 250  
Valve, needle, 250  
Shutoff position, 250  
Inert gas analysis, 250  
Gas analysis, inert 250  
Analysis, inert gas, 250  
Head space analysis, 250  
Analysis, head space, 250  
Analyzer flow control module, 250  
Module, analyzer flow control, 250  
Flow control module, analyzer, 250  
Analyzer, flow control module, 250  
Analyzer flow control module-flow diagram, 251  
Module, analyzer flow control-flow diagram, 251  
Flow control module, analyzer-flow diagram, 251  
Analyzer, flow control module-flow diagram, 251  
Rosemount Analytical Inc., 251  
Flow switches- fixed point, 252  
Switches, flow-fixed point, 252  
Flow switches- differential, 252  
Switches, flow-differential, 252  
CTE ChemTec, 252  
Flow switches-high pressure, 253  
Switches, flow-high pressure, 253  
CTE ChemTec, 253  
Flow switches-low-cost, 253  
Switches, flow-low-cost, 253

Flow switches-attitude-insensitive, 253  
Switches, flow- attitude-insensitive, 253  
Flowmeters: rotameters and electric mass flowmeters, 254  
Rotameters and electric mass flowmeters, 254  
Electric mass flowmeters and rotameters, 254  
Messer-Gas Technology & Service Group, 254  
Typical rotameter flow ranges, 255  
Rotameter flow ranges, typical, 255  
Flow ranges, rotameter-typical, 255  
Flow rate correction factors-other than air, 256  
Correction factors, flow rate other than air, 256  
Messer-Gas Technology & Service Group, 256  
Rotameter-operating feature description, 257  
Rotameter-typical specifications, 258  
Messer-Gas Technology & Service Group, 259  
Rotameter-typical specifications, 259  
Messer-Gas Technology & Service Group, 257  
Messer-Gas Technology & Service Group, 258  
Pressure regulation, 260  
Regulation, pressure, 260  
Lute, 260  
Bubbler, 260  
Liquid column height, 260  
Height, liquid column, 260  
Column height, liquid, 260  
Pressure regulation of gaseous streams, 260  
Pressure regulation of liquid streams, 260  
Gaseous streams, pressure regulation, 260  
Liquid streams, pressure regulation, 260  
Delivery accuracy, 260  
Accuracy, delivery, 260  
Tight shut-off, 260  
Shut-off, tight, 260  
Speed of response, 260  
Accurate pressure control, 260  
Pressure control, accurate, 260  
Diaphragm-type pressure reduction regulator, 260  
Pressure reduction regulator, diaphragm-type, 260  
Regulator, pressure reduction, diaphragm-type, 260  
PSIG, 260  
Gauge pressure, 260  
Pressure, gauge, 260  
PSID, 260  
Differential pressure, 260  
Pressure, differential, 260  
PSIA, 260

Absolute pressure, 260  
Pressure, absolute, 260  
Bubble-tight shut-off, 260  
Shut-off, bubble-tight, 260  
Poppet-and-seat control valve system, 260  
Valve, control, poppet-and-seat, 260  
Control valve system, poppet-and-seat, 260  
Residual flow, 260  
Flow, residual, 260  
Leakage flow, 261  
Flow, leakage, 261  
Static altitude, 261  
Altitude, static, 261  
Barometric pressure, 261  
Pressure, barometric, 261  
Quantitative measurement, 261  
Measurement, quantitative, 261  
Liquid measurement, 261  
Measurement, liquid, 261  
Instrument air pressure, 261  
Pressure, instrument air, 261  
Air, instrument, pressure, 261  
Sample stream switching valves, 261  
Stream switching valves, sample, 261  
Valves, stream switching, 261  
Sample stream atmospheric vent valves, 261  
Stream valves, atmospheric vent, 261  
Valves, stream, atmospheric vent, 261  
Sample stream pressure control valves, 261  
Stream valves, pressure control, 261  
Valves, stream, pressure control, 261  
Free-filter area, 261  
Filter area, free, 261  
Direct-operated instrument air pressure regulators, 261  
Instrument air pressure regulators, direct-operated, 261  
Regulators, instrument air pressure, direct-operated, 261  
Pilot-operated instrument air pressure regulators, 261  
Instrument air pressure regulators, pilot-operated, 261  
Regulators, instrument air pressure, pilot-operated, 261  
Pressure relief regulator, 261  
Regulator, pressure relief, 261  
Backpressure regulator, 261  
Regulator, backpressure, 261  
Pressure relief protection, 261  
Protection, pressure relief, 261  
Regulated stream pressure, 261

Stream pressure, regulated, 261  
Pressure, stream, regulated, 261  
Remote pressure adjustment (loading), 261  
Loading, remote pressure adjustment, 261  
Pressure adjustment, remote (loading), 261  
Loading pressure, 261  
Pressure, loading, 261  
Downstream control pressure, 261  
Pressure, downstream control, 261  
Control, downstream pressure, 261  
Fisher Controls, a division of Fisher-Rosemount, 261  
Steam pressure regulators, 261  
Regulators, steam pressure, 261  
Pressure regulators, steam, 261  
State-of-steam properties, 262  
Properties, state-of-steam, 262  
Steam properties, 262  
Enthalpy, 262  
Specific volume, 262  
ASME Steam tables, 262  
Steam tables, ASME, 262  
Mollier chart, 262  
Latent heat, 262  
Heat, latent, 262  
Dry and saturated steam, 262  
Steam, dry and saturated, 262  
Wet steam, 262  
Steam, wet, 262  
Noncondensables, 262  
Wet and dirty steam, 262  
Steam, wet and dirty, 262  
Condensate removal devices (steam traps), 262  
Steam traps (condensate removal devices), 262  
Direct-operated steam pressure regulators, 262  
Steam pressure regulators, direct-operated, 262  
Regulators, steam pressure, direct-operated, 262  
Steam tracing, 262  
Tracing, steam, 262  
Steam delivery service, 262  
Delivery service, steam, 262  
Fisher Controls, a division of Fisher-Rosemount, 262  
Liquid pressure regulators, 262  
Regulators, liquid pressure, 262  
Gallons of water per minute, 262  
GPM (gallons per minute), 262  
Gallons per minute (GPM), 262

Viscosity, 262  
Resistance to flow, 262  
Flow resistance, 262  
Flashing, 262  
Cavitation, 262  
Vaporization phenomena, 262  
Gaseous bubbles, 262  
Sample shutoff valves, 263  
Valves, sample shutoff, 263  
Shutoff valves, sample, 262  
Fluid hammer, 263  
Wetted parts, 263  
Parts, wetted, 263  
Material compatibility charts, 263  
Compatibility charts, material, 263  
Physical failure, 263  
Fisher Controls, a division of Fisher-Rosemount, 263  
Capillary tubing, 263  
Tubing, capillary, 263  
VREL (variable pressure reducing element), 263  
SENTRY Equipment Corp., 263  
Negative pressure regulation, 263  
Pressure regulation, negative, 263  
Vacuum service, 263  
Absolute pressure (psia or bara), 263  
PSIA (absolute pressure, 263  
BARA (absolute pressure), 263  
Pressure, absolute (psia or bara), 263  
Gauge pressure (psig or barg), 263  
PSIG (gauge pressure, 263  
BARG (gauge pressure), 263  
Pressure, gauge (psig or barg), 263  
Differential pressure (psid or bard), 263  
PSID (differential pressure, 263  
BARD (differential pressure), 263  
Pressure, differential (psid or bard), 263  
Vacuum pressure regulation service, 264  
Pressure regulation service, vacuum, 264  
Vacuum regulator, 264  
Regulator, vacuum, 264  
Vacuum breaker, 264  
Breaker, vacuum, 264  
Vacuum set point, 264  
Set point, vacuum, 264  
Fisher Controls, a division of Fisher-Rosemount, 264  
Vacuum source, 264



Source, vacuum, 264  
Process vapor recovery system, 264  
Vapor recovery system, process, 264  
Recovery system, process vapor, 264  
Inches of water column (inwc), 264  
INWC, inches of water column, 264  
Pressure reducing regulators, 264  
Regulators, pressure reducing, 264  
Backpressure regulators, 264  
Regulators, backpressure, 264  
Go Inc., 264  
TESCOM, 264  
Veriflow Division, Parker Hannifin Corp., 264  
Relief valve function, 264  
Valve, relief function, 264  
SENTRY Equipment Corp., 264  
Heated pressure regulator, 264  
Regulator, heated pressure, 264  
Pressure regulator, heated, 264  
Joule-Thomson effect, 264  
Internal steam coil, 265  
Steam coil, internal, 265  
Electrical-resistance heating element, 265  
Heating element, electrical resistance, 265  
Cartridge heater, 265  
Heater, cartridge, 265  
GO Inc., 265  
Bourdon tube construction, 265  
Filled-diaphragm gauge isolation device, 265  
Gauge isolation device, filled-diaphragm, 265  
Inert-liquid-filled Bourdon gauge tube, 265  
Bourdon gauge tube, inert-liquid-filled, 265  
Gauge tube, Bourdon, inert-liquid-filled, 265  
Ashcroft, Dresser Instrument Div.-a Halliburton Co., 265  
WIKA Instrument Corporation, 265  
Gas delivery, 265  
High-pressure gas cylinders, 265  
Gas cylinders, high-pressure, 265  
Cylinders, gas, high-pressure, 265  
Gas cylinder pressure regulator, 265  
Regulator, gas cylinder pressure, 265  
Pressure regulator, gas cylinder, 265  
CGA (Compressed Gas Association), 265  
Compressed Gas Association (CGA), 265  
Oxidizing agent, 266  
Compressed gas cylinder regulators, 266

Regulators, compressed gas cylinder, 266  
Gas cylinder, compressed, regulators, 266  
Diaphragm outgas, 266  
Outgas, diaphragm, 266  
BOC Gases-Specialty Gases, 266  
GO Inc., 266  
Scott Specialty Gases, 266  
Messer-Gas Technology & Services, 266  
Fisher-Rosemount: Fisher Controls International, 267  
Overpressure protection, 267  
Pressure ranges, 267  
Ranges, pressure, 267  
Orifice diameters, 267  
High temperature fluoroelastomers, 267  
Fluoroelastomers, high temperature, 267  
Regulator body size, 267  
Body size, regulator, 267  
Speed of regulator response, 267  
Regulator response, speed of, 267  
Inlet pressure, 267  
Pressure, inlet, 267  
Regulator body inlet connection, 267  
Inlet connection, regulator body, 267  
Adjusting setpoint, 267  
Setpoint, adjusting, 267  
Direct-operated regulators, 267  
Regulators, direct-operated, 267  
Pilot-operated regulators, 267  
Regulators, pilot-operated, 267  
Droop, regulator pressure, 267  
Regulator pressure droop, 267  
Pressure droop, regulator, 267  
Offset (proportional band), 267  
Proportional band (offset), 267  
Soft-seated regulators, 267  
Regulators, soft-seated, 267  
Turndown ratio, regulators, 267  
Regulators, turndown ratio, 267  
Fisher-Rosemount: Fisher Controls International, 268  
Migration, 268  
Control lines, regulator, 268  
Regulator control lines, 268  
Regulator control tap, 268  
Control tap, regulator, 268  
Pressure differential, regulator, 268  
Regulator pressure differential, 268

Regulator reseal point, 268  
Reseat point, regulator, 268  
Start-to-bubble point, 268  
Regulator area of turbulence, 268  
Area of turbulence, regulator, 268  
Regulator noise, 268  
Noise, regulator, 268  
Fixed factor measurement (PFM), 268  
PFM (fixed factor measurement), 268  
Coefficient of flow ( $C_g$ ), 268  
 $C_g$  (coefficient of flow), 268  
Needle valves, 268  
Valves, needle, 268  
Full-open valves, 268  
Valves, full-open, 268  
Selecting pressure reducing regulators, 269  
Regulators, pressure reducing, selection , 269  
Pressure reducing regulators, selection, 269  
Sizing pressure reducing regulators, 269  
Regulators, pressure reducing, sizing , 269  
Pressure reducing regulators, sizing, 269  
Fisher-Rosemount: Fisher Controls International, 269  
Regulator body size, 269  
Body size, regulator, 269  
Regulator construction, 269  
Construction, regulator, 269  
Regulator pressure ratings, 269  
Pressure ratings, regulator, 269  
Regulator wide-open flow rate, 269  
Wide-open flow rate, regulators, 269  
Flow rate, wide-open, regulators, 269  
Regulators, outlet pressure ranges and springs, 269  
Outlet pressure ranges and springs, regulators, 269  
Pressure ranges and springs, outlet pressure, regulators, 269  
Regulator accuracy, 269  
Accuracy, regulator, 269  
Regulator inlet pressure losses, 269  
Inlet pressure losses, regulator, 269  
Pressure losses, inlet, regulator, 269  
Regulator orifice diameter, 269  
Orifice diameter, regulator, 269  
Regulator speed of response, 269  
Speed of response, regulator, 269  
Turn-down ratio, regulator, 269  
Regulator, turn-down ratio, 269  
Regulator sizing exercises, 269

Sizing exercises, regulator, 269  
Steam space heater, regulator sizing exercise, 270  
Sizing exercise, steam space heater regulator, 270  
PPH, pounds per hour, 270  
Pounds per hour (PPH), 270  
Pressure reducing regulator, sizing exercise, 270  
Sizing exercise, pressure reducing regulator, 270  
Pressure reducing regulator, 271  
Regulator, pressure reducing, 271  
Pressure regulator, internal components (single stage regulator), 272  
Regulator, pressure, internal components (single stage regulator), 272  
Single stage regulator, pressure (internal components), 272  
Dome-operated pressure regulator, 272  
Regulator, pressure, dome operated, 272  
Pressure regulator, dome operated, 272  
Dome loading pressure, 272  
Pressure, dome loading, 272  
Hoke Valve Products, 272  
Direct-operated backpressure/relief valves, 273  
Valves, direct-operated backpressure/relief, 273  
Backpressure/relief valves, direct-operated, 273  
Relief/backpressure valves, direct-operated, 273  
Hastelloy C trim, 273  
Trim, Hastelloy C, 273  
Trim, Monel, 273  
Monel trim, 273  
Nitrile, 273  
Neoprene, 273  
Fluoroelastomer, 273  
Ethylenepropylene, 273  
Perfluoroelastomer, 273  
PTFE Diaphragm protector, 273  
Diaphragm protector, PTFE, 273  
CF8M stainless steel, 271  
Stainless steel, CF8M, 273  
Differential backpressure/relief valves, 273  
Valves, differential backpressure/relief, 273  
Backpressure/relief valves, differential, 273  
Relief/backpressure valves, differential, 273  
Backpressure regulator, spring-loaded, 274  
Spring-loaded backpressure regulator, 274  
Regulator, spring-loaded backpressure, 274  
Backpressure regulator/relief valve, 274  
Relief valve/backpressure regulator, 274  
Regulator, relief valve/backpressure, 274  
Fisher 67 series regulator for process gases, specifications, 276

Regulator, Fisher 67 series for process gases, specifications, 276  
Small-volume regulators, 275  
Regulators, small-volume, 275  
low-volume regulators, 275  
Regulators, low-volume, 275  
NACE construction, 275  
Fisher 67 series regulator for process gases, sectional view, 276  
Regulator, Fisher 67 series for process gases, sectional view, 276  
Fisher-Rosemount: Fisher Controls International, 276  
Fisher 67 series regulator for process gases, dimensions, 277  
Regulator, Fisher 67 series for process gases, dimensions, 277  
Fisher-Rosemount: Fisher Controls International, 277  
Water properties, 278  
Properties, water, 278  
Properties of saturated steam, 278-280  
Saturated steam, properties, 278-280  
Steam properties, saturated, 278-280  
Latent Heat of Evaporation (BTU/Lb), 278  
Total heat of Steam ( $H_g$ -BTU/Lb), 278  
Specific Volume of Steam (Cubic Ft/Lb), 278  
Saturation Pressure (Pounds per Square Inch Absolute-psia), 278  
Fisher-Rosemount: Fisher Controls International, 278  
Metric properties of saturated steam, 281  
Saturated steam, metric properties, 281  
Steam, metric properties, saturated, 281  
Enthalpy (kJ/kg), 281  
Entropy [kJ(kg x K)], 281  
Fisher-Rosemount: Fisher Controls International, 281  
Properties of superheated steam, 282-284  
Superheated steam, properties, 282-284  
Steam properties, superheated, 282-284  
Velocity of steam in pipes, 285  
Steam, velocity in pipes, 285  
Condensation rates of steam, 285  
Steam, condensation rates, 285  
Fisher-Rosemount: Fisher Controls International, 285  
Fisher 95H series regulator for steam, specifications, 286  
Regulator, Fisher 95H series for steam, specifications, 286  
Fisher-Rosemount: Fisher Controls International, 286  
Fisher 95H series regulator, sectional view, 288  
Regulator, Fisher 95H series, sectional view, 288  
Fisher-Rosemount: Fisher Controls International, 288  
Fisher 95H series regulator for liquids, specifications, 291-300  
Regulator, Fisher 95H series for liquids, specifications, 291-300  
Fisher 67 series regulator for process gases, sectional view, 295  
Regulator, Fisher 67 series for process gases, sectional view, 295

Fisher-Rosemount: Fisher Controls International, 295  
Fisher 95H series regulator for steam, dimensions, 300  
Regulator, Fisher 95H series for steam, dimensions, 300  
Fisher-Rosemount: Fisher Controls International, 300  
VREL (variable pressure reducing element), application data, 301-307  
Pressure reducing element, VREL (variable pressure reducing element), application data, 301-307  
SENTRY Equipment Corporation, 301-307  
Fisher Y695VR series vacuum regulator for process gases, sectional view, 308  
Regulator-vacuum, Fisher Y695VR series for process gases, sectional view, 308  
Fisher-Rosemount: Fisher Controls International, 308  
Fisher Y695VR series vacuum regulator for process gases, dimensions, 309  
Regulator-vacuum, Fisher Y695VR series for process gases, dimensions, 309  
Fisher-Rosemount: Fisher Controls International, 309  
Fisher Y695VR series vacuum regulator for process gases, specifications, 308-309  
Regulator-vacuum, Fisher Y695VR series for process gases, specifications, 308-309  
Fisher Y695A series vapor recovery/blanket gas regulator, sectional view, 310  
Regulator- vapor recovery/blanket gas, Fisher Y695A series, sectional view, 310  
Fisher-Rosemount: Fisher Controls International, 310  
Fisher Y695A series vapor recovery/blanket gas regulator, dimensions, 312  
Regulator- vapor recovery/blanket gas, Fisher Y695A series, dimensions, 312  
Fisher-Rosemount: Fisher Controls International, 312  
Fisher Y695A series vapor recovery/blanket gas regulator, specifications, 310-311  
Regulator- vapor recovery/blanket gas, Fisher Y695A series, specifications, 310-311  
Heated pressure regulators, 312  
Regulators, pressure, heated, 312  
Hoke Valve Products, 312  
Vaporizing pressure-reducing regulator, 313  
Regulator, vaporizing, pressure-reducing, 313  
Elgiloy, 313  
Vespel, 313  
CSA (Canadian Standards Association), 313  
Canadian Standards Association (CSA), 313  
TESCOM Corporation, 313  
Acorn locking nut, 315  
Locking nut, acorn, 315  
Condulet, 315  
Heated sample-conditioning system pressure regulators, 315  
Regulators, pressure, heated, sample-conditioning system, 315  
Regulators, heated, pressure, sample-conditioning system, 315  
Pressure regulators, heated, sample-conditioning system, 315  
Hoke Valve Products, 315  
Heat-retention insulating jacket, 317  
Insulating jacket, heat-retention, 317  
TESCOM Corporation, 317  
Pressure gauge, exploded view, 318

Gauge, pressure, exploded view, 318  
WIKA Instrument Corporation, 318  
Chemical isolation (diaphragm) seal, 319  
Seal, chemical isolation (diaphragm), 319  
Diaphragm seal, chemical isolation, 319  
WIKA Instrument Corporation, 319  
Chemical seal, 320  
Seal, chemical, 320  
Transmission fluid, pressure, 320  
Pressure transmission fluid, 320  
Separating diaphragm, 320  
Diaphragm, separating, 320  
WIKA Instrument Corporation, 320  
Checklist for selecting a pressure measuring instrument, 321  
WIKA Instrument Corporation, 321  
Pressure measuring instrument, checklist for selecting, 321  
Static pressure, 321  
Pressure, static, 321  
Bursting pressure, 321  
Pressure, bursting, 321  
Magnetically-assisted alarm contacts, 321  
Alarm contacts, magnetically-assisted, 321  
Contacts, alarm, magnetically-assisted, 321  
Inductive proximity switches, 321  
Proximity switches, inductive, 321  
Switches, inductive, proximity, 321  
Solid front design, 322  
Front design, solid, 322  
Certificate of Compliance, 322  
Compliance Certificate, 322  
Certificate of Calibration, 322  
Calibration Certificate, 322  
Material Certificate, 322  
WIKA Instrument Corporation, 322  
Self-venting regulator, 323  
Regulator, self-venting, 323  
Captured venting regulator, 323  
Regulator, captured venting, 323  
Non-venting regulator, 323  
Regulator, non-venting, 323  
Regulator, spring loading, 323  
Regulator, dome loading, 323  
Regulator, air actuator, 323  
Regulator loading, electronic controller, 323  
Regulator, balanced design, 323  
Regulator, unbalanced design, 323

Choosing a pressure regulator, 323  
Pressure regulator, choosing, 323  
Regulator, pressure, choosing, 323  
Regulator flow capacity ( $C_v$ ), 323  
Flow capacity ( $C_v$ ), regulator, 323  
 $C_v$ , flow capacity, 323  
TESCOM Corporation, 323  
Single stage pressure regulators, sectional view, 324  
Pressure regulators, single stage, sectional view, 324  
Regulators, pressure, single stage, sectional view, 324  
Two stage pressure regulators, sectional view, 324  
Pressure regulators, two stage, sectional view, 324  
Regulators, pressure, two stage, sectional view, 324  
Supply pressure effect (pressure regulators), 324  
Pressure regulators, supply pressure effect, 324  
Regulators, pressure (supply pressure effect), 324  
Pressure regulator droop, 324  
Droop, pressure regulator, 324  
Regulator, pressure droop, 324  
Scott Specialty Gases, 324  
Outgas, 325  
Regulator creep, 325  
Creep, regulator pressure, 325  
Pressure regulator creep, 325  
Scott Specialty Gases, 325  
Two stage cylinder pressure regulator (sectional view), 326  
Cylinder pressure regulator, two stage (sectional view), 326  
Regulator, cylinder pressure, two stage (sectional view), 326  
Pressure regulator, two stage, cylinder (sectional view), 326  
Hoke Valve Products, 326  
Compressed gas cylinder dimensions, 327  
Cylinder dimensions, compressed gas, 327  
Gas, compressed, cylinder dimensions, 327  
Dimensions, cylinder, compressed gas, 327  
Messer-Gas Technology & Service Group, 327  
Compressed gas cylinder specifications, 328  
Cylinder specifications, compressed gas, 328  
Gas, compressed, cylinder specifications, 328  
Specifications, cylinder, compressed gas, 328  
Messer-Gas Technology & Service Group, 328  
Glossary of terms for compressed gas cylinder regulators, 329  
Definition, self contained pressure regulator, 329  
Definition, single stage pressure reducing regulator, 329  
Definition, two stage pressure reducing regulator, 329  
Definition, hand loaded pressure regulator, 329  
Definition, inlet pressure, 329



Definition, outlet pressure, 329  
Definition, absolute pressure, 329  
Definition, CGA/DIN fittings, 329  
Definition, process wetted, 329  
Definition, creep, 329  
Definition, bubble tight shutoff, 329  
Definition, balanced poppet, 329  
Definition, set point, 329  
Definition, back pressure regulator, 329  
Definition, dome loaded pressure regulator, 329  
Definition, inboard leakage, 329  
Definition, outboard leakage, 329  
Definition, supply pressure effect, 329  
Definition, regulation accuracy, 329  
Definition, droop, 329  
Definition, setability, 329  
Definition,  $C_v$ , 329  
Definition, critical flow, 329  
Definition, flow rate, 329  
Definition, SLPM, 329  
Definition, SCC/Min, 329  
Definition, SCFM, 329  
Definition, SCFH, 329  
Messer-Gas Technology & Service Group, 329  
Hastelloy, 330  
Inconel, 330  
Pure metals, 330  
Metals, pure, 330  
CPVC, 330  
PVC, 330  
Bun a-N, 330  
Viton, 330  
Pyrex, 330  
Borosilicate glass, 330  
Safety glass, 330  
Plastisol, 330  
Carbon steel, 330  
Steel, carbon, 330  
Cast iron, 330  
Iron, cast, 330  
Carbon moly steel, 330  
Steel, carbon moly, 330  
Chrome moly steel, 330  
Steel, chrome moly, 330  
Ferritic ductile iron, 330  
Iron, ferritic ductile, 330

Austenitic stainless steels, 330  
Stainless steels, austenitic, 330  
Type 304, 330  
Type 316, 330  
Type 316L, 330  
High strength stainless steels, 330  
Stainless steels, high strength, 330  
Martensitic stainless steels, 330  
Stainless steels, martensitic, 330  
Type 410, 330  
Type, 416, 330  
Tubing, alloy, 331  
Alloy tubing, 331  
Alloy 20, 331  
Alloy C276, 331  
Alloy 400, 331  
Alloy R405, 331  
Alloy, 600, 331  
Tubing, aluminum, 331  
T4 temper, 331  
T6 temper, 331  
Tubing, carbon steel, 331  
Carbon steel tubing, 331  
Steel, carbon, tubing, 331  
Hardness (Rb), 331  
Rb, 331  
ASTM A269, 331  
Stainless steel tubing, 331  
Tubing, stainless steel, 331  
Titanium tubing, 331  
Tubing, welded-and-drawn, 331  
Wrought stainless steel, 331  
Stainless steel, wrought, 331  
Nonferrous alloys, 331  
Alloys, nonferrous, 331  
Alloy 400, 331  
K Monel, 331  
Nickel-copper alloys, 331  
Nickel-chromium-molybdenum alloys, 331  
Alloys, nickel copper, 331  
Alloys, nickel-chromium-molybdenum, 331  
Alloy C276, 331  
Alloys, nickel-molybdenum, 332  
Nickel-molybdenum alloy, 332  
Hastelloy B, 332  
Nickel-molybdenum chromium alloy, 332

Alloy, nickel-molybdenum chromium, 332  
Hastelloy C, 332  
Cobalt-based alloys, 332  
Alloys, cobalt-based, 332  
Alloy 6, 332  
Stellite No. 6, 332  
Haynes 25, 332  
Elgiloy, 332  
Copper-based alloys, 332  
Bronze, 332  
Standard bronze, 332  
Bronze, standard, 332  
Manganese bronze, 332  
Bronze, manganese, 332  
Tin bronze, 332  
Bronze, tin, 332  
Aluminum bronze, 332  
Bronze, aluminum, 332  
Halar (ethylene-chlorotrifluoroethylene copolymer), 332  
Nylon (polyamide), 332  
Teflon (polytetrafluoroethylene), 332  
Tefzel (ethylene-tetrafluoroethylene fluoropolymer), 332  
Ryton (polyphenol sulfide), 332  
Lexan (polycarbonate), 332  
Kynar (polyvinylidene fluoride), 332  
Delrin [acetal (polyoxymethylene)], 332  
Hytrel, 332  
NORYL (polyphenylene oxide), 332  
HDPE (high-density polyethylene), 332  
LDPE (low-density polyethylene), 332  
PVC (polyvinyl chloride), 332  
CPVC (chlorinated polyvinyl chloride), 332  
PMP, polymethyl pentene), 332  
PP (polypropylene), 332  
PE (polyethylene), 333  
Tygon (unplasticized polyvinyl chloride), 333  
Teflon TFE (tetra fluoro ethylene), 333  
Teflon FEP (fluorinated ethylene propylene), 333  
Teflon PFA (per fluoro alkoxy), 333  
Teflon PTFE (poly tetra fluoro ethylene), 333  
Entegris, 333  
MACE Products, 333  
Swagelok Company, 333  
Polyethylene tubing, 333  
Tubing, polyethylene, 333  
Low-pressure tubing systems, 333

Tubing systems, low pressure, 333  
Working tubing pressure, 333  
Tubing pressure, working, 333  
Tubing working pressure, 333  
Working pressure, tubing, 333  
Working tubing temperature, 333  
Tubing temperature, working, 333  
Tubing working temperature, 333  
Working temperature, tubing, 333  
Stainless steel tube fittings, 334  
Tube fittings, stainless steel, 334  
Fittings, stainless steel tube, 334  
Nylon tube fittings, 334  
Tube fittings, Nylon, 334  
Fittings, Nylon tube, 334  
Polypropylene tubing, 334  
Tubing, polypropylene, 334  
Nylon tubing, 334  
Tubing, Nylon, 334  
Tygon tubing, 334  
Tubing, Tygon, 334  
Unplasticized PVC tubing, 334  
Tubing, unplasticized PVC, 334  
Fiber-reinforced Tygon tubing, 334  
Tygon tubing, fiber-reinforced, 334  
Tubing, Tygon fiber-reinforced, 334  
Stainless steel tubing, 334  
Tubing, stainless steel, 334  
Electropolishing, 334  
Dry-down time, 334  
Gas-passivated tubing, 334  
Tubing, gas-passivated, 334  
Wet passivation methodology, 334  
Passivated stainless steel tubing, 332  
Tubing, passivated stainless steel, 334  
O'Brien Corp., Cardinal Products Division, 334  
Handy & Harman Tube Co., Inc., 334  
Sandvik, Tubular Products Division, 334  
Valex, 334  
RMS finish, 334  
Fused silica inner layer tubing, 335  
Tubing, fused silica inner layer, 335  
Inert-interior stainless steel tubing, 335  
Stainless steel tubing, inert-interior, 335  
Tubing, stainless steel , inert interior, 335  
Tubing, inert-interior stainless steel, 335

RESTEK Corporation, 335  
Messer-Gas Technology & Service Group, 335  
Elastomers, 335  
Buna N (butyl nitrile rubber), 335  
Buna S (butyl silicon rubber), 335  
Butyl (butyl rubber), 335  
EP (ethylene propylene), 335  
EPDM (ethylene propylene di amine), 335  
Hypalon, 335  
Kalrez (perfluoroelastomer), 335  
KEL-F, 335  
Natural rubber (polyisoprene), 335  
Chloroprene (chlorobutadiene), 335  
Neoprene (chlorobutadiene), 335  
Nitrile (nitrile rubber), 335  
PEEK, Poly ether ether ketone), 335  
Rubber (natural rubber), 335  
Silicone (silicone rubber), 335  
Thiokol, 335  
Tygon (unplasticized poly vinyl chloride), 335  
Ultem (polyetherimide), 335  
Viton (polyfluoromethylene), 335  
Cole-Parmer Instrument Company, 335  
Fisher Controls International, a division of Fisher-Rosemount, 335  
Chemical resistance of resins, 336-338  
Resins, chemical resistance, 336-338  
Physical properties of resins, 336-338  
Resins, physical properties, 336-338  
ACL (acetal) polyoxymethylene, 336-338  
ECTFE (ethylene-chlorotrifluoroethylene copolymer), 336-338  
HALAR [ECTFE (ethylene-chlorotrifluoroethylene copolymer)], 336-338  
ETFE (ethylenetetrafluoroethylene), 336-338  
TEFZEL [ETFE (ethylenetetrafluoroethylene)], 336-338  
FEP (fluorinated ethylene propylene), 336-338  
TEFLON FEP [(fluorinated ethylene propylene)], 336-338  
FLPE (fluorinated high-density polyethylene), 336-338  
FLPP (fluorinated polypropylene), 336-338  
HDPE (high-density polyethylene), 336-338  
LDPE (low density polyethylene), 336-338  
NYL [Nylon (polyamide)], 336-338  
PA (polyallomer), 336-338  
PC (polycarbonate), 336-338  
PETG (polyethylene terephthalate copolyester), 336-338  
PFA [TEFLON PFA (perfluoroalkoxy)], 336-338  
TEFLON PFA (perfluoroalkoxy), 336-338  
PMMA (polymethyl methacrylate), 336-338

PMP (polymethylpentene), 336-338  
TPX (polymethylpentene), 336-338  
PP (polypropylene), 336-338  
PS (polystyrene), 336-338  
PSF (polysulfone), 336-338  
PTFE [TEFLON PTFE (polytetrafluoroethylene)], 336-338  
TEFLON PTFE (polytetrafluoroethylene)], 336-338  
PUR (polyurethane), 336-338  
PVC (polyvinylchloride), 336-338  
PVDF (polyvinylidene fluoride), 336-338  
KYNAR (polyvinylidene fluoride), 336-338  
TPE (thermoplastic elastomer), 336-338  
XLPE (cross-linked high-density polyethylene), 336-338  
Resin transparency, 336-338  
Resin (autoclavable), 336-338  
Resin (disinfectant resistance), 336-338  
Resin flexibility, 336-338  
Resin permeability, 336-338  
Resin water absorption, 336-338  
Cole-Parmer Instrument Company, 336-338  
Synergistic chemical effect, 337  
Chemical effect, synergistic, 337  
External stresses (centrifugation), 337  
Internal stresses (centrifugation), 337  
Centrifugation, 337  
Chemical compatibility of elastomers, 339-343  
Elastomers, chemical compatibility, 339-343  
Chemical compatibility of metals, 339-343-343  
Metals, chemical compatibility, 339-343  
Fisher-Rosemount: Fisher Controls Division, 339-343  
NBR (nitrile rubber), 339-343  
Nitrile rubber (NBR or Buna-N), 339-343  
Buna-N (nitrile rubber), 339-343  
EPDM (ethylenepropylene rubber), 339-343  
EPM (ethylenepropylene rubber), 339-343  
Ethylenepropylene rubber EPDM or EPM), 339-343  
FKM (fluoroelastomer), 339-343  
Viton (fluoroelastomer), 339-343  
Fluorel (fluoroelastomer), 339-343  
Fluoroelastomer (FKM or Fluorel or Viton), 339-343  
CR (chloroprene or neoprene or chlorobutadiene), 339-343  
Chloroprene, 339-343  
Neoprene, 339-343  
Chlorobutadiene, 339-343  
NR (natural rubber or natural polyisoprene), 339-343  
Natural rubber, 339-343

Natural polyisoprene, 339-343  
FXM (TFE/P rubber or AFLAS or Fluoraz), 339-343  
TFE/P, 339-343  
AFLAS, 339-343  
Fluoraz, 339-343  
ECO (Hydrin rubber or epichlorohydrin copolymer or ETER), 339-343  
Hydrin rubber, 339  
Epichlorohydrin copolymer, 339-343  
ETER, 339-343  
FKM (Kalrez or Chemraz), 339-343  
Kalrez, 339-343  
Chemraz, 339-343  
FVMQ (fluorosilicone rubber), 339-343  
Fluorosilicone rubber, 339  
VMQ (silicone rubber or MQ or PMQ or PVMQ), 339-343  
Silicone rubber, 339-343  
MQ, 339-343  
PMQ, 339-343  
PVMQ, 339-343  
Tensile strength, elastomers, 340  
Tear resistance, elastomers, 340  
Abrasion resistance, elastomers, 340  
Aging, sunlight, elastomers, 340  
Aging, oxidation, elastomers, 340  
Flex cracking resistance, elastomers, 340  
Compression set resistance, elastomers, 340  
Solvent resistance, elastomers, 340  
Oil resistance, elastomers, 340  
Gasoline resistance, elastomers, 340  
Acid resistance, elastomers, 340  
Low temperature flexibility, elastomers, 340  
Permeability to gases, elastomers, 340  
Water resistance, elastomers, 340  
Alkali resistance, elastomers, 340  
Resilience, elastomers, 340  
Elongation, elastomers, 340  
Tubing, FEP-lined polyethylene, 344  
Tubing, gum rubber, 344  
Tubing, PFA 450 high-purity, 344  
Tubing, silicone, peroxide-cured, 344  
Tubing, silicone, platinum-cured, 344  
Tubing, silicone-reinforced peroxide, 344  
Tubing, silicone-reinforced platinum, 344  
Tubing, TYGON, FEP-lined, 344  
Tubing, TYGON, food/beverage, 344  
Tubing, TYGON, fuel/lubricant, 344

Tubing, TYGON, high-purity, 344  
Tubing, TYGON, high-purity reinforced, 344  
Tubing, TYGON, laboratory vacuum, 344  
Tubing, TYGON, silicone, 344  
Tubing, TYGON, ultra-resistant, 344  
Tubing, durometer, 344  
Tube insert, tube fitting, 345  
Tube insert, soft plastic tubing, 345  
Hoke Valve Products, 345  
Swagelok Company, 345  
Cylinder, aluminum, refillable, portable, calibration gas, 346-348  
Calibration gas cylinder, aluminum, refillable, portable, 346-348  
Messer-Gas Technology & Service Group, 346-348  
Conversion factors, length, 349  
Conversion factors, pressure/vacuum, 349  
Conversion factors, volume, 349  
Conversion factors, flowrate, 349  
Conversion factors, mass, 349  
Conversion factors, miscellaneous, 349  
Equations, centrifugal force, 349  
Equations, concentration, 349  
Equations, heating and cooling, 349  
Equations, humidity, 349  
Equations, dewpoint, 349  
Equations, density, 349  
Equations, temperature, 349  
Cole-Parmer Instrument Company, 349  
Cole-Parmer Instrument Company, 350  
Conversion tables, metric prefixes, 350  
Conversion tables, Brix scale (sucrose), 350  
Conversion tables, conductivity values, 350  
Conversion tables, standard sieves, 350  
Conversion tables, wire gauge sizes, 350  
Conversion tables, viscosity values, 350  
Diagrams, electrical, 350  
Electrical diagrams, 350  
Receptacle information, electrical, 351  
Electrical receptacle information, 351  
Pipe thread fittings, 351  
Regulatory agencies, 351  
ASCII, American Standard Code for Information Interchange, 351  
ANSI, American National Standards Institute, 351  
ASTM, American Society for Testing and Materials, 351  
DIN, Deutsche Industrie Normen, 351  
FM, Factory Mutual System, 351  
ISO 9000 series, 351



NEMA, National Electrical Manufacturers Association, 351  
NIST, National Institute of Standards and Technology, 351  
NSF, National Sanitation Foundation, 351  
OEM, Original Equipment Manufacturers, 351  
OSHA, Occupational Safety and Health Administration, 351  
UL, Underwriters Laboratories, 351  
USP, U. S. Pharmacopoeia, 351  
3A, 3A Standards Committee (dairy industry), 351  
Cole-Parmer Instrument Company, 351  
Cole-Parmer Instrument Company, 352  
NEC, National Electrical Code, ratings, 352  
IP, International Protection, ratings, 352  
NEMA Enclosure Ratings, 352  
IEC Enclosure Ratings, 352  
IEC, International Electro-Technical Code, 352  
Glossary, electrical, 353  
Cole-Parmer Instrument Company, 353  
A/D, analog-to-digital conversion, 353  
AC, alternating current, 353  
Baud, baud rate, 353  
Byte, eight bits as one unit, 353  
Contacts, current or voltage transmitting elements, 353  
DC, direct current, 353  
DPDT, double-pole double-throw, 353  
XPRF, explosion-proof hazard-rating, 353  
Gain, electrical ratio, 353  
Impedance, sum of resistance and reactance, 353  
Inductive load, current in a coil, 353  
NC, normally closed, 353  
NO, normally open, 353  
On/off control, 353  
ODP, open drip-proof motor, 353  
Parallel transmission of data, 353  
Serial transmission of data, 353  
Data, serial transmission, 353  
Data, parallel transmission, 353  
SU, series universal motor, 353  
SP, shaded pole motor, 353  
Shunt, electrical, 353  
Single-phase motor, 353  
SPDT, single-pole double-throw switch, 353  
SPST, single-pole single-throw, 353  
Solid-state, electrical type, 353  
Stop bit, data transfer signal, 353  
TE, totally-enclosed motor, 353  
TENV, totally-enclosed nonventilated motor, 353

TEFC, totally-enclosed fan-cooled motor, 353  
Transducer, physical-to-electrical signal converter, 353  
Transmitter, low-level to high-level signal processor, 353  
Three-phase motor, 353  
Glossary, scientific and engineering, 353  
Accuracy, 353  
PSIA, absolute pressure, 353  
 $P_{\text{atm}}$ , atmospheric pressure, 353  
Buffer, 353  
Cavitation, 353  
Continuous duty, 353  
Convection, 353  
Density, 353  
Factory calibration, 353  
PSIG, gauge pressure, 353  
LIMS, laboratory information management system, 353  
Linearity, 353  
pH, 353  
PID control, 3-mode (proportional, integral, derivative), 353  
Pressure, 353  
Proportional control, 353  
Range, 353  
Standard operating conditions, 353  
STP, standard temperature and pressure, 353  
Temperature compensation, 353  
Compensation, temperature, 353  
Tolerance, 353  
Viscosity, 353  
ABS plastic, chemical behavior, 354-362  
Acetal (Delrin), chemical behavior, 354-362  
CPVC, chemical behavior, 354-362  
Epoxy, chemical behavior, 354-362  
Hytrel, chemical behavior, 354-362  
LDPE, chemical behavior, 354-362  
NORYL, chemical behavior, 354-362  
Nylon, chemical behavior, 354-362  
Polycarbonate, chemical behavior, 354-362  
Polypropylene, chemical behavior, 354-362  
PPS (Ryton), chemical behavior, 354-362  
Ryton (PPS), chemical behavior, 354-362  
Delrin (Acetal), chemical behavior, 354-362  
PTFE (Teflon), chemical behavior, 354-362  
Teflon (PTFE), chemical behavior, 354-362  
PVC, chemical behavior, 354-362  
PVDF (Kynar), chemical behavior, 354-362  
Kynar (PVDF), chemical behavior, 354-362

Buna-N (Nitrile), chemical behavior, 354-362  
Nitrile (Buna-N), chemical behavior, 354-362  
EPDM, chemical behavior, 354-362  
Hypalon, chemical behavior, 354-362  
Kel-F, chemical behavior, 354-362  
Natural rubber, chemical behavior, 354-362  
Neoprene, chemical behavior, 354-362  
Silicone, chemical behavior, 354-362  
Tygon, chemical behavior, 354-362  
Viton, chemical behavior, 354-362  
304 stainless steel, chemical behavior, 354-362  
Stainless steel, 304, chemical behavior, 354-362  
316 stainless steel, chemical behavior, 354-362  
Stainless steel, 316, chemical behavior, 354-362  
Aluminum, chemical behavior, 354-362  
Brass, chemical behavior, 354-362  
Bronze, chemical behavior, 354-362  
Carpenter 20, chemical behavior, 354-362  
Cast iron, chemical behavior, 354-362  
Iron, cast, chemical behavior, 354-362  
Copper, chemical behavior, 354-362  
Hastelloy-C, chemical behavior, 354-362  
Titanium, chemical behavior, 354-362  
Carbon, chemical behavior, 354-362  
Graphite, chemical behavior, 354-362  
Ceramic, chemical behavior, 354-362  
 $\text{Al}_2\text{O}_3$ , chemical behavior, 354-362  
Ceramic magnet, chemical behavior, 354-362  
Cole-Parmer Instrument Company, 354-362  
Element, chemical, 363  
Element, symbol, 363  
Symbol, element, 363  
Atomic number, 363  
Atomic mass, 363  
Mass number, 363  
Melting point, 363  
Boiling point, 363  
Fisher-Rosemount: Fisher Controls International, 363  
Hydrocarbons, physical constants, 364-366  
Physical constants, hydrocarbons, 364-366  
Chemical formula, 364-366  
Formula, chemical, 364-366  
Boiling point, 364-366  
Vapor pressure, 364-366  
Freezing point, 364-366  
Critical temperature, 364-366

Temperature, critical, 364-366  
Critical pressure, 364-366  
Pressure, critical, 364-366  
Specific Gravity, liquid, 364-366  
Specific Gravity, gas, 364-366  
Gas, specific gravity, 364-366  
Liquid, specific gravity, 364-366  
Fisher-Rosemount: Fisher Controls International, 364-366  
Viscosities of typical fluids vs. temperature, 367  
Kinematic Viscosity – Centistokes, 367  
Fisher-Rosemount: Fisher Controls International, 367  
Fisher-Rosemount: Fisher Controls International, 368  
Specific gravity of typical fluids vs. temperature, 368  
Specific gravity (with respect to water @ 60 DEGF), 368  
Pipe data, carbon steel, 369-370  
Pipe data, stainless steel, 369-370  
Nominal pipe size, 369-370  
Outside pipe diameter, 369-370  
Pipe diameter, outside, 369-370  
Pipe wall thickness, 369-370  
Inside pipe diameter, 369-370  
Pipe diameter, inside, 369-370  
Pipe, area of metal, 369-370  
Area of metal, pipe, 369-370  
Pipe, transverse internal area, 369-370  
Transverse internal area, pipe, 369-370  
Pipe weight, pounds per foot, 369-370  
Weight, pipe, pounds per foot, 369-370  
Weight water, pounds per foot of pipe, 369-370  
Water weight, pounds per foot of pipe, 369-370  
Fisher-Rosemount: Fisher Controls International, 369-370  
American pipe flange dimensions, 371  
Pipe flange dimensions, American, 371  
DIN cast steel flange standard-Nenndruck 16 (@16 Bar), 371  
DIN cast steel flange standard-Nenndruck 25 (@25 Bar), 371  
Fisher-Rosemount: Fisher Controls International, 371  
DIN cast steel flange standard-Nenndruck 40 (@40 Bar), 372  
DIN cast steel flange standard-Nenndruck 64 (@64 Bar), 372  
DIN cast steel flange standard-Nenndruck 100 (@100 Bar), 372  
Fisher-Rosemount: Fisher Controls International, 372  
DIN cast steel valve ratings, 372  
Valve ratings, DIN cast steel, 372  
NEMA 3R, 373  
NEMA 4X, 373  
Hoffman Enclosures Inc., 373  
STAHLIN Non-metallic Enclosures, 373

NEMA 12, 373  
Rittal Corporation, 373  
Instrument enclosure, 373  
Enclosure, instrument, 373  
Panel cabinet, 373  
Cabinet, panel, 373  
Walk-in shelter, 373  
Shelter, walk-in, 373  
DWD Engineering Inc., 373  
Switzer Products Corporation, 373  
NEC (National Electrical Code), 373  
NFPA (National Fire Protection Association), 373  
NEMA, (National Electrical Manufacturers Association), 373  
IEC (International Electro-Technical Code), 373  
API (American Petroleum Institute), 374  
FM (Factory Mutual Research Corporation), 374  
IEEE (Institute of Electrical and Electronic Engineers), 374  
ISA (Instrumentation, Systems, and Automation Society), 374  
UL (Underwriters Laboratories Inc.), 374  
CSA (Canadian Standards Association), 374  
CENELEC (Comite Europeen de Normalisation Electrotechnique), 374  
TUV (Technischer Uberwachungs Verein), 374  
PTB (Physikalisch-Technische Bundesanstalt), 374  
DIN (Deutsches Institut fur Normung), 374  
VDE, 374  
BASEEFA, 374  
API RP-500A, 374  
NEC Article 500, 374  
NFPA 497, 374  
Class I, 374  
Class II, 374  
Group A, 374  
Group B, 374  
Group C, 374  
Group D, 374  
Group E, 374  
Group F, 374  
Group G, 374  
Division 1, 374  
Division 2, 374  
Class III, 375  
API RP500B, 375  
API RP 500C, 375  
NEC 516, 375  
SCBU (self contained breathing unit), 375  
Self contained breathing unit (SCBU), 375

ISBL (inside battery limits), 375  
Inside battery limits (ISBL), 375  
OSBL (outside battery limits), 375  
Outside battery limits (OSBL), 375  
IEC Zone, 375  
Zone, IEC, 375  
Zone 0, 375  
Zone 1, 375  
Zone 2, 375  
IEC IIA, 375  
IEC IIB, 375  
IEC IIC, 375  
IEC IP, 375  
IP ## (# = 0-6), 375  
NEMA Standards Publication No. 250, 376  
IEC Publication 529, 376  
NEC Article 250, 376  
NEC Article 240, 376  
NEC Article 110-16, 376  
IEC 1265, 376  
ISA SP 76, 376  
NFPA 496, 376  
ISA S12.4, 376  
Type X purge, 376  
Type Y purge, 376  
Type Z purge, 376  
Purge controllers, 376  
Appleton Electric, LLC, 376  
Crouse-Hinds Co., 376  
Hoffman Enclosures Inc., 376  
Rittal Corporation, 376  
BEBCO Industries Inc., 376  
Daisy Data Inc., 376  
L&M Technical Services, 376  
PEPPERL + FUCHS Inc., 376  
LEL (lower explosive limit), 377  
Lower explosive limit (LEL), 377  
NFPA 30, 377  
NFPA 497, 377  
T values (temperature classes), 377  
Temperature classes (T values), 377  
NFPA 493, 377  
Cost-of-ownership studies, 377  
Studies, cost-of-ownership, 377  
Intrinsically safe equipment, 377  
Crouse-Hinds Co., 377

MTL Inc., 377  
PEPPERL + FUCHS Inc., 377  
R. Stahl Inc., 377  
ROBROY Industries, 378  
Floor-mount type 12 enclosures (specifications), 379  
Enclosures, floor-mount type 12 (specifications), 379  
Type 12 enclosures, floor-mount (specifications), 379  
Floor-mount type 12 enclosures (dimensions), 380  
Enclosures, floor-mount type 12 (dimensions), 380  
Type 12 enclosures, floor-mount (dimensions), 380  
Polyester resin enclosure, 381  
Enclosure, polyester resin, 381  
Free standing type 4X enclosures (specifications), 382  
Enclosures, free standing type 4X (specifications), 382  
Type 4X enclosures, free-standing (specifications), 382  
Free standing type 4X enclosures (dimensions), 383  
Enclosures, free standing type 4X (dimensions), 383  
Type 4X enclosures, free standing (dimensions), 383  
Blast furnace process multi-analyzer system, 384  
Analyzer system, blast furnace, 384  
Infrared process analyzer system, 385  
Process analyzer system, infrared, 385  
Process analyzer shelter, 386  
Shelter, process analyzer, 386  
Strength/corrosion resistance of enclosure materials, 386  
Enclosure materials, strength/corrosion resistance, 386  
Corrosion resistance/strength of enclosure materials, 386  
Switzer enclosures, 387-388  
Enclosures, Switzer, 387-388  
NEMA ratings, 389  
CSA ratings, 389  
UL ratings, 389  
Ratings, CSA, 389  
Ratings, UL, 389  
Ratings, NEMA, 389  
Type 1 enclosure rating, 389  
Type 2 enclosure rating, 389  
Type 3 enclosure rating, 389  
Type 3R enclosure rating, 389  
Type 4 enclosure rating, 389  
Type 4X enclosure rating, 389  
Type 6 enclosure rating, 389  
Type 12 enclosure rating, 389  
Type 13 enclosure rating, 389  
Enclosure rating, type 1, 389  
Enclosure rating, type 2, 389

Enclosure rating, type 3, 389  
Enclosure rating, type 3R, 389  
Enclosure rating, type 4, 389  
Enclosure rating, type 4X, 389  
Enclosure rating, type 6, 389  
Enclosure rating, type 12, 389  
Enclosure rating, type 13, 389  
Standards Classifications' Directory, 390  
Standards Association Directory, 390  
Directory, Standards Classifications', 390  
Directory, Standards Association, 390  
NEMA, 390  
NEMA 250, 390  
NEMA ICS6, 390  
EEMAC (Electrical/Electronic Manufacturers Association of Canada), 390  
UL, 390  
UL 50, 390  
UL 508, 390  
UL 870, 390  
UL 94, 390  
UL 2279, 390  
JIC (Joint Industry Council), 390  
EMP-1, 390  
EGP-1, 390  
CSA, 390  
IEC, 390  
CSA C22.2 No. 94, 390  
IEC 60529, 390  
TUV Proiduct Service, 390  
Institute of German Electronics Engineers, 390  
VDE, 390  
EIA (Electronic Industries Association), 390  
Electronic Industries Association (EIA), 390  
EIA RS-310-D, 390  
ANSI, 390  
ANSI Z55.1-1967, 390  
NFPA, 390  
NFPA 70, 390  
SAE (Society of Automotive Engineers), 390  
Society of Automotive Engineers, 390  
IEEE, 390  
Class I locations, 391  
Class II locations, 391  
Class III locations, 391  
NEC Class I ratings, 392  
NEC Class II ratings, 392



- NEC Class III ratings, 392
- CEC (Canadian Electric Council), 392
- Canadian Electric Council (CEC), 392
- CENELEC, 392
- CSA, 392
- FM, 392
- IEC, 392
- NEC, 392
- UL, 392
- Division 1, 392
- Division 2, 392
- Zone 0, 392
- Zone 1, 392
- Zone 2, 392
- Group A, 392
- Group B, 392
- Group C, 392
- Group D, 392
- Group IIC, 392
- Group IIB, 392
- Group IIA, 392
- Zone 20, 392
- Zone 21, 392
- Zone 22, 392
- IEC Zone Classification System, 393
- Zone Classification System, IEC, 393
- NEC article 505, 393
- Article 505, NEC, 393
- IEC 60079, 393
- IP rating, 393
- Zone 1, 393
- Zone 2, 393
- Comparison of specific non-hazardous applications, outdoor locations, 395
- Non-hazardous applications, outdoor locations, 395
- Comparison of specific non-hazardous applications, indoor locations, 395
- Non-hazardous applications, indoor locations, 395
- Cross-reference NEMA, UL, CSA vs. IEC Enclosure type, 395
- Enclosure type, Cross-reference NEMA, UL, CSA vs. IEC, 395
- NEC 500-6(a), 396
- NEMA 250, 396
- IEC 60529, 396
- UL 50, 396
- NEMA vs. IEC enclosure ratings, 396
- Enclosure ratings, NEMA vs. IEC, 396
- NEMA 1, 396
- NEMA 2, 396

- NEMA 3, 396
- NEMA 3S, 396
- NEMA 3R, 396
- NEMA 4, 396
- NEMA 4X, 396
- NEMA 5, 396
- NEMA 6, 396
- NEMA 6P, 396
- NEMA 7, 396
- NEMA 8, 396
- NEMA 9, 396
- NEMA 10, 396
- NEMA 11, 396
- NEMA 12, 396
- NEMA 13, 396
- IP10, 396
- IP11, 396
- IP52, 396
- IP54, 396
- IP14, 396
- IP56, 396
- IP67, 396
- Pneumatic purge controller, 397
- Purge controller, pneumatic, 397
- Controller, purge, pneumatic, 397
- International Electro-Technical Code (IEC) Zone Classification System, 398
- IEC International Electro-Technical Code Zone Classification System, 398
- Zone Classification System, IEC International Electro-Technical Code, 398
- Classification System, Zone, IEC International Electro-Technical Code, 398
- Zone 1, 398
- Zone 2, 398
- Purge/pressurization systems, 398
- Pressurization/purge systems, 398
- Purged and pressurized enclosures, 398
- Enclosure, Purged and pressurized, 398
- Pressurized and purged enclosures, 398
- X purge, 399
- Y purge, 399
- Z purge, 399
- SAFESTARTS purge systems, 399
- Purge systems, SAFESTARTS, 399
- L & M Technical Services, 399
- Chatter protection, 400
- Brown-out protection, 400
- Compressed gas purge system (application diagram), 400-401

Purge system, compressed gas (application diagram), 400-401  
Gas, compressed, purge system (application diagram), 400-401  
Purging, operator interface layout variations, 402  
Pressurization, operator interface layout variations, 402  
Dwyer Minihelic gage, 403  
Minihelic gage, Dwyer, 403  
Magnehelic gage, Dwyer, 403  
Dwyer Magnehelic gage, 403  
Purge flow diagram, type Y, 403  
Purge flow diagram, type Z, 403  
Variable rate purge system, operating description, 403  
Purge system, variable rate, operating description, 403  
Intrinsic safety, 405-407  
Intrinsically safe, 405-407  
Profibus, 405  
Fieldbus, 405  
Foundation Fieldbus, 406  
Intrinsically safe remote I/O, 406  
HART, 406-407  
Sintered stainless steel spark arresters, 408  
Stainless steel spark arresters, sintered, 408  
Spark arresters, stainless steel, sintered, 408  
Arresters, spark, sintered stainless steel, 408  
Instrument enclosure, 409  
Climate control, 409  
Ventilation, enclosures, 409  
Freeze-protection, enclosures, 409  
Heating, enclosures, 409  
Process-maintenance temperature, 409  
Temperature, process maintenance, 409  
Hoffman Enclosures Inc., 409  
Rittal Corporation, 409  
DWD Engineering Inc., 409  
Switzer Products Corporation, 409  
Enclosure climate control, 410  
Climate control, enclosure, 410  
Control, enclosure climate, 410  
Fan and louvers climate control, 410  
Control, climate, fan and louvers, 410  
Climate control, fan and louvers, 410  
  
Fan and louvers climate control, 410  
Control, climate, fan and louvers, 410  
Climate control, fan and louvers, 410  
Fan and louvers climate control, 410  
Control, climate, fan and louvers, 410

Climate control, fan and louvers, 410  
Convective heating climate control, 410  
Control, climate, convective heating, 410  
Climate control, convective heating, 410  
Partial recirculation air-conditioning climate control, 410  
Control, climate, partial recirculation air-conditioning, 410  
Climate control, partial recirculation air-conditioning, 410  
Variable-speed drive shelter pressurization, 410  
Shelter pressurization, variable-speed drive, 410  
Pressurization, shelter, variable-speed drive, 410  
Air exhaust louver installation, 410  
Exhaust louver installation, 410  
Louver, air exhaust, installation, 410  
Top-mounted air exhaust louvers, 410  
Exhaust louvers, air, top-mounted, 410  
Louvers, air exhaust, top-mounted, 410  
Electrical resistance heater, 410  
Heater, electrical resistance, 410  
Convection effect, 410  
Heat pipe exchanger, 410  
Exchanger, heat pipe, 410  
Vortex cooler, 410  
Cooler, vortex, 410  
Closed-loop air conditioner, 410  
Air conditioner, closed-loop, 410  
Failure rates of electronic components, 410  
Electronic components, failure rates, 410  
Mechanical refrigeration unit, 410  
Refrigeration unit, mechanical, 410  
Self-contained mechanically-refrigerated air-conditioning units, 410  
Air-conditioning units, self-contained mechanically-refrigerated, 410  
Mechanically-refrigerated self-contained air-conditioning units, 410  
Total heat load, 411  
Heat load, total, 411  
Ambient surface heat transfer, 411  
Heat transfer, ambient surface, 411  
Through-the-wall air-conditioning unit, 411  
Air-conditioning unit, through-the-wall, 411  
Window air conditioning unit, 411  
Air conditioning unit, window, 411  
Ambient forced-air ventilation, 411  
Forced-air ventilation, ambient, 411  
Ventilation, ambient forced-air, 411  
Air intake stack, 411  
Stack, air intake, 411  
Bird screen, 411

Screen, bird, 411  
Dirt catcher, 411  
Spiral-wound galvanized pipe, 411  
Pipe, galvanized, spiral-wound, 411  
Barometric louvers, 411  
Louvers, barometric, 411  
Linkage bar, 411  
Lever arm effect, 411  
Exhaust louvers, 411  
Louvers, exhaust, 411  
Lighter-than-air gases, 411  
Gases, lighter-than-air, 411  
Heavier-than-air gases, 411  
Gases, heavier-than-air, 411  
Pocket, 411  
Auxiliary forced-air heater, 411  
Heater, auxiliary forced-air, 411  
Forced-air heater, auxiliary, 411  
Heating coils, 411  
Coils, heating, 411  
Makeup air, 411  
Air, makeup, 411  
Through-the-wall air-conditioning unit, 412  
Air-conditioning unit, through-the-wall, 412  
Hang-on-the-wall air-conditioning units, 412  
Air-conditioning units, hang-on-the-wall, 412  
Refrigeration capacities, 412  
Capacities, refrigeration, 412  
Steam heating, 412  
Heating, steam, 412  
T value (Temperature class), 412  
Temperature class (T value), 412  
Tons of cooling capacity, 412  
Cooling capacity, tons, 412  
Corrosion-resistant coil coating, 412  
Coil coating, corrosion-resistant, 412  
Convection-type electric heaters, 412  
Electric heaters, convection-type, 412  
Heaters, electric, convection-type, 412  
Building pressurization units, 412  
Pressurization units, building, 412  
Airflow damper system, 412  
Damper system, airflow, 412  
Variable speed drive, 412  
Drive, variable speed, 412  
inWC (inches of water column), 412

- McLean Thermal Management-midwest, 412
- Hoffman Enclosures Inc., 412
- ITW Vortec, 412
- EXAIR Corporation, 412
- Custom Controls Company, 413
- DWD Engineering Inc., 413
- Static ventilation, 413
- Ventilation, static, 413
- Enclosure temperature rise, 413
- Temperature rise, enclosure, 413
- Enclosure heat input, 413
- Heat input, enclosure, 413
- Enclosure surface area, 413
- Surface area, enclosure, 413
- Heat dissipation in electrical enclosures, 413
- Electric enclosures, heat dissipation, 413
- Enclosures, electric, heat dissipation, 413
- Dynamic ventilation, 414
- Ventilation, dynamic, 414
- Circulating fans, 414
- Fans, circulating, 414
- Cooling options, 414
- Fan and blower selection graph, 415
- Selection graph, fan and blower, 415
- Fan and blower application guidelines, 415
- Application guidelines, fan and blower, 415
- Sizing graph, fan and blower, 416
- Fan and blower sizing guidelines, 416
- Sizing guidelines, fan and blower, 416
- Selection graph, heaters, 417
- Heater application guidelines, 417
- Application guidelines, heater, 417
- Heaters, semiconductor type, specifications, 419
- Heater selection graph, uninsulated enclosures, 417
- Enclosures, uninsulated, heater selection graph, 417
- Heater selection graph, insulated enclosures, 417
- Enclosures, insulated, heater selection graph, 417
- PTC (positive temperature coefficient), 418
- Anodized aluminum, 418
- Aluminum, anodized, 418
- Extruded aluminum, 418
- Aluminum, extruded, 418
- Heaters, semiconductor type, dimensions, 419
- Heaters, electric type, specifications, 420
- Heaters, electric type, dimensions, 421
- Cabinet coolers, 42

Coolers, cabinet, 422  
Air-control solenoid valve, 422  
Solenoid valve, air-control, 422  
Valve, solenoid, air-control, 422  
Fan and blower sizing and selection, 423  
Sizing and selection, fan and blower, 423  
Heat exchanger, sizing and selection, 423  
Sizing and selection, heat exchanger, 423  
Closed-loop air conditioner, sizing and selection, 423  
Sizing and selection, closed-loop air conditioner, 423  
Ventilation devices, sizing and selection, 423  
Sizing and selection, ventilation devices, 423  
Guy ring, 424  
Chimney tee, 424  
Pier support plate, 424  
Plate, pier support, 424  
Roof support, 424  
Support, roof, 424  
Flat roof installation, 425  
Installation flat roof, 425  
Installation, pitched roof, 425  
Pitched roof installation, 425  
Roof penetration, 426  
Penetration, roof, 426  
Cone flashing, 426  
Flashing, cone, 426  
Storm collar, 426  
Collar, storm, 426  
Flashing, adjustable, 426  
Guying connections, 427  
Pier support, 428  
Support, pier, 428  
Sidewall support, 428  
Support, sidewall, 428  
Termination heights, chimneys or stacks, 430-431  
Heights, termination, chimneys or stacks, 430-431  
Chimneys or stacks, termination heights, 430-431  
Stacks or chimneys, termination heights, 430-431  
Wall-mount air-conditioner, 432  
Air-conditioner, wall-mount, 432  
DWD Engineering Inc., 432  
DWD Engineering Inc., 433  
DWD Engineering Inc., 434  
DWD Engineering Inc., 435  
DWD Engineering Inc., 436  
DWD Engineering Inc., 437

DWD Engineering Inc., 438  
DWD Engineering Inc., 439  
DWD Engineering Inc., 440  
Air-conditioning and pressurization system: floor plan (drawing), 433  
Drawing, air-conditioning and pressurization system: floor plan, 433  
Air-conditioning and pressurization system: system section and elevation (drawing), 434  
Drawing, air-conditioning and pressurization system: system section and elevation, 434  
Air-conditioning and pressurization system: shelter section and elevation (drawing), 435  
Drawing, air-conditioning and pressurization system: shelter section and elevation, 435  
Air-conditioning and pressurization system: wiring schematic (drawing), 436  
Drawing, air-conditioning and pressurization system: wiring schematic, 436  
Air-conditioning and pressurization system: control details (drawing), 437  
Drawing, air-conditioning and pressurization system: control details, 437  
Wall-mount air-conditioner, 438  
Air-conditioner, wall-mount, 438  
Air-conditioning and pressurization units: system plan (drawing), 439  
Drawing, air-conditioning and pressurization units: system plan, 439  
Air-conditioning and pressurization units: system elevation (drawing), 440  
Drawing, air-conditioning and pressurization units: system elevation, 440  
Sample probe entry port, 441  
Entry port, sample probe, 441  
Cement kiln, 441  
Kiln, cement, 441  
Blowback line, 441  
Probe, 441  
Sample flow shut-off, 441  
Shut-off, sample flow, 441  
High-pressure blowback air, 441  
Blowback air, high-pressure, 441  
Plant instrument air system, 441  
Instrument air system, plant, 441  
Air system, instrument, 441  
Joule-Thompson effect cooling, 442  
Cooling, Joule-Thompson effect, 442  
Capacity tanks, blowback, 442  
Blowback capacity tanks, 442  
Electropneumatic operator, 442  
Operator, electropneumatic, 442  
CEMS (Continuous Emissions Monitoring System), 442  
Continuous Emissions Monitoring System (CEMS), 442  
Teflon tubing, 442  
Tubing, Teflon, 442  
Aspirator, 443  
Analyzer cycle time, 443  
Cycle time, analyzer, 443  
Sample transport lines, 443



Transport lines, sample, 443  
Sample point inlet filter, 443  
Filter, sample point inlet, 443  
Calibration cylinder, 443  
Cylinder, calibration, 443  
Humidity, 443  
Calibration bottle, 443  
Bottle, calibration, 443  
Calibration standard, 443  
Standard, calibration, 443  
Sample transfer line, 443  
Line, sample transfer, 443  
Equilibrium state, 444  
NIR unit, 444  
Optical receiver, 444  
Light transmitter, 444  
Receiver, optical, 444  
Transmitter, light, 444  
Flow cell, 444  
Cell, flow, 444  
Diesel fuel, 444  
Fuel, diesel, 444  
Wax, 444  
Dissolved water, 444  
Water, dissolved, 444  
Free water, 444  
Water, free, 444  
Armored rotameters, 444  
Rotameters, armored, 444  
Swirlclean filters, 444  
Filters, Swirlclean, 444  
Cloud point, 444  
Dispersed light, 444  
Light, dispersed, 444  
Transmitted light, 444  
Light, transmitted, 444  
Steam-traced and insulated tubing, 444  
Tubing steam-traced and insulated, 444  
Diesel fuel blending, 444  
Blending, diesel fuel, 444  
System plugging, 444  
Plugging, system, 444  
Process fuel filter, 444  
Fuel filter, process, 444  
Filter, fuel, process, 444  
Sample filter, 444

Filter, sample, 444  
Balston sample filter, 444  
Swirlclean sample filter, 444  
A+ Genie liquid-liquid sample separator, 444  
Liquid-liquid sample separator, A+ Genie, 444  
Separator, liquid-liquid, A+ Genie, 444  
Wax plugging point, 444  
Plugging point, wax, 444  
Series filters, 444  
Filters, series, 444  
Parallel filters, 444  
Filters, parallel, 444  
United Filtration Systems, 445  
Bypass filter, 445  
Filter, bypass, 445  
Backflush, 445  
Accumulator tank, 445  
Tank, accumulator, 445  
ONIX Systems, 445  
Py-Gas, 445  
Analytical Specialities, 445  
Distillation tower, 445  
Tower, distillation, 445  
Temperature controller, 445  
Controller, temperature, 445  
Process sample probe, 445  
Sample probe, process, 445  
Probe, sample, process, 445  
Bypass rotameters, 445  
Rotameters, bypass, 445  
Distillation probe, 445  
Probe, distillation, 445  
Cook heavy components, 445  
Cracking furnace, 446  
Furnace, cracking, 446  
Butane recycle, 446  
Recycle, butane, 446  
HF carryover, 446  
Carryover, HF, 446  
HF (hydrofluoric acid), 446  
Hydrofluoric acid (HF), 446  
Monel, 446  
Hastelloy C, 446  
HF service, 446  
Butane recycle, 447  
Glass tube rotameters, 447

Rotameters, glass tube, 447  
HF acid level, 447  
Acid level, HF, 447  
Neutralizer, 447  
Activated alumina, 447  
Alumina, activated, 447  
Hastelloy C, 447  
Py-Gas, 447  
Catalytic reformer, 447  
Reformer, catalytic, 447  
Catalyst regeneration procedure, 447  
Regeneration procedure, catalyst, 447  
Hastelloy C, 448  
Temperature-sensing capillary, 448  
Capillary, temperature-sensing, 448  
Zirconium-oxide-sensor O<sub>2</sub> analyzer, 448  
O<sub>2</sub> analyzer, zirconium-oxide-sensor, 448  
Crude vacuum furnace, 448  
Furnace, crude vacuum, 448  
Stainless steel eductors, 448  
Eductors, stainless steel, 448  
Sulfur compounds, 448  
Teflon eductors, 448  
Eductors, Teflon, 448  
Oxygen-trim signal, 448  
Trim signal, oxygen, 448  
CEMS (Continuous Emissions Monitoring System), 448  
Continuous Emissions Monitoring System (CEMS), 448  
Claus sulfur recovery unit, 448  
Sulfur recovery unit, Claus, 448  
Sulfur incinerator, 448  
Incinerator, sulfur, 448  
SO<sub>2</sub> analyzer, 449  
Analyzer, SO<sub>2</sub>, 448  
Sensitive to pressure, 449  
Pressure, sensitive to, 449  
UV Absorbance, 449  
Absorbance, UV, 449  
dP cell, 449  
Cell, dP, 449  
Pressure controller, 449  
Controller, pressure, 449  
Setpoint, 449  
Eductor, 449  
Motive power, 449  
Power, motive, 449

O<sub>2</sub> analyzer, 449  
Sensitive to flow, 449  
Flow, sensitive to, 449  
Refrigerant dryer, 449  
Dryer, refrigerant, 449  
RATA test, 449  
Test, RATA, 449  
Cement production facility, 450  
Production facility, cement, 450  
Cement kiln interior, 451  
Kiln interior, cement, 451  
Sample probe, cement kiln, 451  
Cement kiln, sample probe, 451  
Sample probe, cement kiln, 452  
Cement kiln, sample probe, 452  
Sample probe protection box, 452  
Probe protection box, sample, 452  
Protection box, sample probe, 452  
Box, protection, sample probe, 452  
Sample probe heated filter, 453  
Filter, heated, sample probe, 453  
Heated filter, sample probe, 453  
Sample probe protection box, 453  
Probe protection box, sample, 453  
Protection box, sample probe, 453  
Box, protection, sample probe, 453  
Water injection cooling lance, 454  
Cooling lance, water injection, 454  
Lance, cooling, water injection, 454

Water injection cooling lance, spray nozzles, 454  
Cooling lance spray nozzles, water injection, 454  
Lance, cooling, water injection spray nozzles, 454  
Cement kiln header box, 455  
Header box, cement kiln, 455  
Kiln header box, cement, 455  
Sample delivery at constant pressure and constant flow rate, 456  
Constant pressure and constant flow rate sample delivery, 456  
Flow rate, constant, sample delivery, 456  
Pressure, constant, sample delivery, 456  
A+ Corporation, 457  
ABB Automation products Inc./Hartmann & Braun Division, 457  
ABB Process Analytics Division, 457  
Aerofin Corp., 457  
Air Dimensions Co., 457  
Air-Vac Engineering Co. Inc., 458

AMETEK Inc. Process Instruments, 458  
Analytical Specialties, 458  
Appleton Electric/OZ Gedny, LLC, 458  
Applied Analytics Inc., 458  
Applied "Automation Inc., 458  
Armstrong International, 458  
Dresser Instrument Division, 458  
Ashcroft, 458  
AXIOM Analytical, 459  
Baldwin Environmental Inc., 459  
Bebco Industries, 459  
Bird Precision Orifices, 459  
BOC Gases, Specialty Gases, 459  
Bolt Technical Ceramics, 459  
Bran & Luebbe Inc., 459  
Brooks Instrument, 460  
Buhler Analysis Systems Inc., 460  
Cellex Manufacturing Inc., a Division of Thermon Mfg. Co., 460  
Chemiquip Products Co. Inc., 460  
CRC Press Inc., 460  
Premcor Inc., 460  
Clark Refining & Marketing, 460  
Cole-Parmer Instrument Company, 460  
Collins Products Company, 461  
Conax Buffalo Technologies, 461  
Control for the Process Industries, 461  
Putnam Publishing Company, 461  
CONTROLS CORPORATION OF AMERICA, 461  
CTE ChemTec Equipment Company, 461  
Cooper Crouse-Hinds Co., 461  
Crouse-Hinds Co., 461  
Custom Controls Company, 461  
Daisy Data Inc., 462  
Dearborn Process Systems, 462  
DWD International, LLC, 462  
Dwyer Instruments Inc., 462  
Edwards Engineering Corp., 462  
BOC/Edwards Vacuum Technology, 462  
EPM Environmental Inc., 462  
Exair Corp., 463  
Exergy Inc., 463  
Fisher-Rosemount: Fisher Controls International, 463  
Fisher-Rosemount: Rosemount Analytical, Inc., 463  
Dekoron Unitherm, division of Cable USA Inc., 463  
Cable USA Inc., 463  
Gast Manufacturing Corp., 463

Sensidyne, 463  
Gilian Instrument Co., 463  
Glas-Col, 464  
GO Pressure Controls, 464  
Graham Manufacturing Co. Inc., 464  
Hayward Industrial Products Inc., 464  
H.E.A.T./Heat Exchange Applied Technology, 464  
Hoffman, 464  
Hoke Valve Products, 464  
IEEE Publishing Department, 465  
Instrumentation & Control Systems, 465  
Pennwell Publication, 465  
Integrated Flow Systems Inc., 465  
ISA, 465  
Instrumentation, Systems, and Automation Society, 465  
ITT Standard, 465  
Jerguson/Jacoby-Tarbox, a division of Clark-Reliance, 465  
Jacoby-Tarbox, 465  
Clark-Reliance, 465  
Jordan Valve, 465  
Richards Industries, 465  
Keen Systems, 466  
KNF Neuberger Inc., 466  
Krebs Engineers, 466  
L & M Technical Services Inc., 466  
LINC Manufacturing, 466  
Lytron, Incorporated, 466  
M & C Products-USA, 466  
Entegris, 467  
MACE Products, 467  
Marlo Coil, 467  
Vesuvius McDanel Co., 467  
APW McLean, 467  
Metal-Fab Inc., 467  
Messer-Gas Technology & Services Group, 467  
Mott, 467  
MTL Inc., 468  
GKN Sintered Products, 468  
Newmet Krebsoge, 468  
O'Brien Corporation, 468  
O'Keefe Controls Co., 468  
Ogontz Corporation, 468  
Omega Engineering Inc., 468  
ONIX Process Analysis Systems Inc., 468  
Orbital Sciences Corporation, 469  
P & P Optica, 469

Parker-Hannifin, Instrumentation Connectors, 469  
Parker-Hannifin, Veriflow Division, 469  
Veriflow, 469  
Parker-Hannifin, Zenith Pump Division, 469  
Zenith Pump, 469  
Penberthy, 469  
PEPPERL + FUCHS INC., 469  
Perma Pure Inc., 470  
Petrolab Company, 470  
PneumaTech Inc., 470  
RESTEK Corp., 470  
Rheodyne, L.P., 470  
Rittal Corp., 470  
Sampling Systems, a division of PMMI INC., 470  
Sandvik Inc., 471  
Scott Specialty Gases, 471  
Sensorex, 471  
Sentry Equipment Corporation, 471  
Siemens Applied Automation Inc., 471  
Snap-Tite Inc./Autoclave Engineers Division, 471  
Autoclave Engineers, 471  
R. Stahl Inc., 471  
Stahlin Enclosures, 472  
Star Instruments Inc., 472  
Deloro Stellite Co. Inc., 472  
Stellite Co. Inc., 472  
STI, 472  
Super Cool US Inc., 472  
Superior Technical Ceramics Corporation, 472  
Swagelok Company, 472  
Switzer Products Corporation, 473  
Tellurex Corporation, 473  
TESCOM Corporation, 473  
Texas Sampling Inc., 473  
Thermon, 473  
Universal Analyzers Inc., 473  
Viking Pump Inc., 473  
ITW Vortec Corp., 474  
Vortec Corp., 474  
USF Wallace & Tiernan Inc., 474  
Wallace & Tiernan Inc., 474  
Watlow Electric Manufacturing Co., 474  
Watlow Polymer Technologies, 474  
Werther International Inc./Air Compressor Division, 474  
Balston/Parker Filtration Systems, 474  
Whatman/Balston, 474

Parker Filtration Systems/Balston, 474  
James C. White Company Inc., 474  
WIKA Instrument Corporation, 475  
John Wiley & Sons Inc., 475  
Yarway Corp., 475